



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

CRAWFORD

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:**017922**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1958/12/01TOWNSHIPRANGESECTIONELEVATION: 1,306FTDRILL DEPTH: 270FT

35N

2W

1

UTM XUTM YDEPTH TO BED: 175FT

667,252.88

4,182,410.95

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 187**LOG ID:****027537**WELL TYPE

Private Well

DRILL DATE: 1973/10/23TOWNSHIPRANGESECTIONELEVATION: 1,100FTDRILL DEPTH: 300FT

35N

2W

11

UTM XUTM YDEPTH TO BED: 95FT

665,033.91

4,180,992.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****026096**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION: 1,192FTDRILL DEPTH: 891FT

35N

2W

14

UTM XUTM YDEPTH TO BED: 251FT

665,135.92

4,179,682.90

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****012285**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION: 1,080FTDRILL DEPTH: 740FT

35N

2W

16

UTM XUTM YDEPTH TO BED: 50FT

663,109.93

4,179,689.90

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: A-232S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012302**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,056FT

DRILL DEPTH:

757FT

35N

2W

16

DEPTH TO BED:

25FT

UTM XUTM Y

663,109.93

4,179,689.90

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #A-230S.W.L. (AFTER CASING):**LOG ID:****012446**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1953/00/00

TOWNSHIPRANGESECTIONELEVATION:

887FT

DRILL DEPTH:

498FT

35N

2W

17

DEPTH TO BED:

5FT

UTM XUTM Y

661,523.94

4,180,095.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: A-236S.W.L. (AFTER CASING):**LOG ID:****020143**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,178FT

DRILL DEPTH:

165FT

35N

2W

2

DEPTH TO BED:

55FT

UTM XUTM Y

665,226.88

4,183,203.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI N OF CZAR TOWERS.W.L. (AFTER CASING):**LOG ID:****018756**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,242FT

DRILL DEPTH:

1,095FT

35N

2W

28

DEPTH TO BED:

80FT

UTM XUTM Y

662,241.99

4,176,961.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024239**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,193FT

DRILL DEPTH:

810FT

35N

2W

33

DEPTH TO BED:

120FT

UTM XUTM Y

662,859.02

4,174,540.80

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****018966**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1960/05/01

TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH:

1,012FT

35N

2W

7

DEPTH TO BED:

75FT

UTM XUTM Y

659,297.94

4,181,129.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****012448**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

986FT

DRILL DEPTH:

175FT

35N

2W

8

DEPTH TO BED:

10FT

UTM XUTM Y

661,517.93

4,180,504.92

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: A-238S.W.L. (AFTER CASING):**LOG ID:****012462**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

882FT

DRILL DEPTH:

155FT

35N

2W

8

DEPTH TO BED:

10FT

UTM XUTM Y

661,117.94

4,180,504.92

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: A-243S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013114**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1953//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	997FT
<u>DRILL DEPTH:</u>	210FT	35N	2W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				661,517.93	4,180,504.92
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	A-257			

LOG ID:**012309**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	964FT
<u>DRILL DEPTH:</u>	598FT	35N	2W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				661,909.93	4,180,495.92
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	A-231			

LOG ID:**012313**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,000FT
<u>DRILL DEPTH:</u>	728FT	35N	2W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				662,309.93	4,180,899.93
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	A-234			

LOG ID:**012320**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,097FT
<u>DRILL DEPTH:</u>	970FT	35N	2W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				662,709.92	4,181,301.94
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	A-201			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012449**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1953/00/00TOWNSHIPRANGESECTIONELEVATION:

1,037FT

DRILL DEPTH: 235FT

35N

2W

9

DEPTH TO BED: 15FTUTM XUTM Y

663,109.93

4,180,495.92

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: A-235S.W.L. (AFTER CASING):**LOG ID:****012454**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1953/00/00TOWNSHIPRANGESECTIONELEVATION:

1,034FT

DRILL DEPTH: 180FT

35N

2W

9

DEPTH TO BED: 30FTUTM XUTM Y

663,109.92

4,180,899.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: A-233S.W.L. (AFTER CASING):**LOG ID:****003367**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1935/05/01TOWNSHIPRANGESECTIONELEVATION:

1,150FT

DRILL DEPTH: 1,027FT

35N

3W

14

DEPTH TO BED: 65FTUTM XUTM Y

656,781.97

4,179,596.91

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 90**LOG ID:****010290**WELL TYPE

Private Well

DRILL DATE: 1948/07/01TOWNSHIPRANGESECTIONELEVATION:

1,168FT

DRILL DEPTH: 80FT

35N

3W

19

DEPTH TO BED: 20FTUTM XUTM Y

649,028.91

4,178,017.82

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003472**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1935/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	942FT
<u>DRILL DEPTH:</u>	82FT	35N	3W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				658,016.98	4,178,395.88
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	N EDGE OF DILLARD, NO ELEVATION GIVEN			
<u>S.W.L. (AFTER CASING):</u>	60					

LOG ID:**008778**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1944/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	988FT
<u>DRILL DEPTH:</u>	220FT	35N	3W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				658,430.00	4,176,979.85
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**028103**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	935FT
<u>DRILL DEPTH:</u>	220FT	35N	3W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				657,984.01	4,176,329.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	BADLY STAINED - VERY MUDDY 165-TD; NO PRODUCTION OR			
<u>S.W.L. (AFTER CASING):</u>			CONSTRUCTION DATA			

LOG ID:**010286**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/07/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,224FT
<u>DRILL DEPTH:</u>	77FT	35N	3W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				650,438.97	4,175,600.78
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI E OF INDIAN TRAIL PARK			
<u>S.W.L. (AFTER CASING):</u>	40					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018177**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1959/07/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,325FT
<u>DRILL DEPTH:</u>	1,344FT	35N	3W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				649,243.96	4,174,372.74
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

LOG ID:**008151**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1942/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	885FT
<u>DRILL DEPTH:</u>	175FT	36N	2W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				664,853.82	4,190,073.10
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	DRAWDOWN TOTAL			
<u>S.W.L. (AFTER CASING):</u>	50					

LOG ID:**019640**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	930FT
<u>DRILL DEPTH:</u>	799FT	36N	2W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				663,541.86	4,186,552.04
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	SAMPLES LOGGED TO 450'			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**024274**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	930FT
<u>DRILL DEPTH:</u>	799FT	36N	2W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				663,541.86	4,186,552.04
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	COMPLETE LOG ON #19640			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009507**WELL TYPE

Outcrop Description

DRILL DATE: 1947/05/01TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 90FT

36N

2W

29

DEPTH TO BED: 35FTUTM XUTM Y

660,702.88

4,185,753.02

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****018318**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1959/08/01TOWNSHIPRANGESECTIONELEVATION:

818FT

DRILL DEPTH: 191FT

36N

2W

29

DEPTH TO BED: 15FTUTM XUTM Y

661,231.87

4,186,740.04

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DAVISVILLE PICNIC GROUNDS.W.L. (AFTER CASING):**LOG ID:****020210**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,079FT

DRILL DEPTH: 262FT

36N

2W

30

DEPTH TO BED: 65FTUTM XUTM Y

658,673.89

4,186,165.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: HWY 49A, DAVISVILLES.W.L. (AFTER CASING): 160**LOG ID:****018108**WELL TYPE

Private Well

DRILL DATE: 1959/04/01TOWNSHIPRANGESECTIONELEVATION:

807FT

DRILL DEPTH: 95FT

36N

2W

8

DEPTH TO BED: 30FTUTM XUTM Y

660,191.83

4,190,688.12

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 3 MI N OF DAVISVILLES.W.L. (AFTER CASING): 30



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020167**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

953FT

DRILL DEPTH:

110FT

36N

3W

1

DEPTH TO BED:

35FT

UTM XUTM Y

657,147.82

4,192,531.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

6 MI NE OF CHERRYVILLE

S.W.L. (AFTER CASING):

50

LOG ID:**017055**WELL TYPE

Private Well

DRILL DATE:

1958/04/12

TOWNSHIPRANGESECTIONELEVATION:

1,055FT

DRILL DEPTH:

200FT

36N

3W

14

DEPTH TO BED:

110FT

UTM XUTM Y

655,749.86

4,189,670.10

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

3 MI E OF CHERRYVILLE

S.W.L. (AFTER CASING):

115

LOG ID:**002187**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1927/05/11

TOWNSHIPRANGESECTIONELEVATION:

920FT

DRILL DEPTH:

920FT

36N

3W

15

DEPTH TO BED:UTM XUTM Y

653,846.88

4,188,537.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:K-8 GALLAHAND; CROOKED CREEK STRUCTURE; ELEVATION
MAY BE 950' - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****002168**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1926/10/11

TOWNSHIPRANGESECTIONELEVATION:

905FT

DRILL DEPTH:

915FT

36N

3W

16

DEPTH TO BED:

5FT

UTM XUTM Y

652,633.85

4,188,739.06

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:#K-5 CALLAHAN-KRAMELMEYER - CROOKED CREEK STRUCTURE
- Driller's Log AttachedS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018133**WELL TYPE

Private Well

DRILL DATE: 1958/12/01 TOWNSHIP 36N RANGE 3W SECTION 17 ELEVATION: 1,097FT
DRILL DEPTH: 204FT UTM X 651,115.81 UTM Y 4,189,876.07
DEPTH TO BED: 120FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: HWY 19, 2 MI S OF CHERRYVILLE
S.W.L. (AFTER CASING): 150

LOG ID:**024994**WELL TYPE

Private Well

DRILL DATE: 1966/11/01 TOWNSHIP 36N RANGE 3W SECTION 20 ELEVATION: 931FT
DRILL DEPTH: 132FT UTM X 651,715.86 UTM Y 4,186,827.02
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: CHERRYVILLE
S.W.L. (AFTER CASING):

LOG ID:**002169**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1926/12/18 TOWNSHIP 36N RANGE 3W SECTION 21 ELEVATION: 920FT
DRILL DEPTH: 930FT UTM X 653,439.88 UTM Y 4,188,136.06
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #K-6; BESSIE KEYS; CROOKED CREEK STRUCTURE - Driller's Log
S.W.L. (AFTER CASING): Attached

LOG ID:**002170**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1927/03/01 TOWNSHIP 36N RANGE 3W SECTION 21 ELEVATION: 999FT
DRILL DEPTH: 950FT UTM X 652,539.87 UTM Y 4,187,434.04
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "K7 STEIDEL"; NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003473**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1935/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,008FT
<u>DRILL DEPTH:</u>	210FT	36N	3W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				658,241.87	4,187,770.06
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	NEAR DAVISVILLE			
<u>S.W.L. (AFTER CASING):</u>	83					

LOG ID:**012711**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1951/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,018FT
<u>DRILL DEPTH:</u>	91FT	36N	3W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				651,720.80	4,191,671.11
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	HWY 19, CHERRYVILLE			
<u>S.W.L. (AFTER CASING):</u>	60					

LOG ID:**020459**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1961/09/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,051FT
<u>DRILL DEPTH:</u>	165FT	36N	3W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				651,510.81	4,190,664.09
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	115					

LOG ID:**001659**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	974FT
<u>DRILL DEPTH:</u>	921FT	36N	4W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					641,725.62	4,189,206.95
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	CROOKED CREEK AREA; NO FORMATIONS IDENTIFIED -			
<u>S.W.L. (AFTER CASING):</u>			DRILLER'S LOG ONLY			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**001660**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1911//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,001FT
<u>DRILL DEPTH:</u>	521FT	36N	4W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					641,125.62	4,188,589.93
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	CROOKED CREEK AREA, NO FORMATIONS IDENTIFIED - DRILLER'S LOG ONLY			

LOG ID:**002163**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1926/06/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	950FT
<u>DRILL DEPTH:</u>	860FT	36N	4W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				641,425.61	4,189,514.95
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#1 COURTNEY; ON CROOKED CREEK STRUCTURE; 15-25'- OUT OF PLACE - Driller's Log Attached			

LOG ID:**002166**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1926/05/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,001FT
<u>DRILL DEPTH:</u>	1,000FT	36N	4W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				641,125.62	4,188,589.93
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#2K SWYERS (COURTNEY); ST LOUIS SMELTING & REFINING CO - Driller's Log Attached			

LOG ID:**002167**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1926/07/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	945FT
<u>DRILL DEPTH:</u>	660FT	36N	4W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				641,825.63	4,188,486.94
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	15	<u>REMARKS:</u>	formerly in name of Sanders K4 - (drillers log); Frank West; Crooked Creek Structure - Driller's Log Attached			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002667**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1911/00/00TOWNSHIP RANGE SECTIONELEVATION: 960FTDRILL DEPTH: 864FT

36N

4W

17

UTM XUTM YDEPTH TO BED:641,625.62 4,189,001.94
ZONE 15S.W.L. (BEFORE CASING):REMARKS: CORE SET #5012; INTERBEDDED EMINENCE & POTOSI
LITHOLOGIESS.W.L. (AFTER CASING):**LOG ID:****002668**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 1,020FTDRILL DEPTH: 527FT

36N

4W

17

UTM XUTM YDEPTH TO BED:641,425.61 4,189,411.95
ZONE 15S.W.L. (BEFORE CASING):REMARKS: CORE SET #5013S.W.L. (AFTER CASING):**LOG ID:****002669**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1911/00/00TOWNSHIP RANGE SECTIONELEVATION: 920FTDRILL DEPTH: 524FT

36N

4W

17

UTM XUTM YDEPTH TO BED:642,025.63 4,189,104.95
ZONE 15S.W.L. (BEFORE CASING):REMARKS: CORE SET #5015S.W.L. (AFTER CASING):**LOG ID:****002670**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1910/00/00TOWNSHIP RANGE SECTIONELEVATION: 930FTDRILL DEPTH: 344FT

36N

4W

17

UTM XUTM YDEPTH TO BED: 35FT641,125.61 4,189,411.95
ZONE 15S.W.L. (BEFORE CASING):REMARKS: CORE SET #2014S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002671**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1911/00/00TOWNSHIP RANGE SECTIONELEVATION: 925FTDRILL DEPTH: 844FT

36N

4W

17

DEPTH TO BED:UTM XUTM Y

642,225.64 4,188,486.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CORE SET #5016S.W.L. (AFTER CASING):**LOG ID:****002672**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1911/00/00TOWNSHIP RANGE SECTIONELEVATION: 925FTDRILL DEPTH: 608FT

36N

4W

17

DEPTH TO BED: 35FTUTM XUTM Y

642,225.64 4,188,692.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CORE SET #5020S.W.L. (AFTER CASING):**LOG ID:****014436**WELL TYPE

Private Well

DRILL DATE: 1955/11/01TOWNSHIP RANGE SECTIONELEVATION: 1,068FTDRILL DEPTH: 170FT

36N

4W

17

DEPTH TO BED: 110FTUTM XUTM Y

641,225.60 4,189,823.96

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 80**LOG ID:****023379**WELL TYPE

Private Well

DRILL DATE: 1965/03/09TOWNSHIP RANGE SECTIONELEVATION: 1,088FTDRILL DEPTH: 210FT

36N

4W

19

DEPTH TO BED:UTM XUTM Y

640,771.63 4,187,377.90

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: FILLED SINKS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023422

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,106FT
36N 4W 20
DRILL DEPTH: 660FT
DEPTH TO BED: 530FT UTM X UTM Y
641,021.63 4,187,383.90
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 4 MI FROM STEELVILLE, CROOKED CREEK AREA; MIXED
S.W.L. (AFTER CASING): GASCONADE & OTHER

LOG ID:
002673

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1911/00/00 TOWNSHIP RANGE SECTION ELEVATION: 940FT
36N 4W 21
DRILL DEPTH: 438FT
DEPTH TO BED: 15FT UTM X UTM Y
642,644.66 4,187,794.93
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: CORE SET #5018; MOSTLY SKIPPED INTERVALS
S.W.L. (AFTER CASING):

LOG ID:
013079

WELL TYPE
Private Well

DRILL DATE: 1954/00/00 TOWNSHIP RANGE SECTION ELEVATION: 1,009FT
36N 4W 22
DRILL DEPTH: 310FT
DEPTH TO BED: 295FT UTM X UTM Y
645,476.73 4,186,872.95
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: RFD, SALEM
S.W.L. (AFTER CASING):

LOG ID:
018760

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1960/01/02 TOWNSHIP RANGE SECTION ELEVATION: 961FT
36N 4W 22
DRILL DEPTH: 1,170FT
DEPTH TO BED: 40FT UTM X UTM Y
644,276.70 4,187,484.94
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007155**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1940/09/19TOWNSHIP RANGE SECTIONELEVATION: 1,015FTDRILL DEPTH: 105FT

36N 4W 23

DEPTH TO BED:UTM X UTM Y
645,980.74 4,186,973.95
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: BLUE HEAVEN (?), ON HWY 19S.W.L. (AFTER CASING): 12**LOG ID:****019720**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1960/10/01TOWNSHIP RANGE SECTIONELEVATION: 1,140FTDRILL DEPTH: 1,185FT

36N 4W 23

DEPTH TO BED: 5FTUTM X UTM Y
646,780.74 4,187,978.98
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****002607**WELL TYPE

Private Well

DRILL DATE: 1932/07/01TOWNSHIP RANGE SECTIONELEVATION: 1,166FTDRILL DEPTH: 170FT

36N 4W 27

DEPTH TO BED: 5FTUTM X UTM Y
644,270.72 4,185,871.91
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 7 MI S OF CHERRYVILLE ON HWY 19S.W.L. (AFTER CASING):**LOG ID:****023566**WELL TYPE

Private Well

DRILL DATE: 1964/05/01TOWNSHIP RANGE SECTIONELEVATION: 1,002FTDRILL DEPTH: 100FT

36N 4W 33

DEPTH TO BED: 15FTUTM X UTM Y
644,033.74 4,184,061.87
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI N OF SLIGOS.W.L. (AFTER CASING): 30



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008779**WELL TYPE

Private Well

DRILL DATE: 1944/00/00TOWNSHIP RANGE SECTIONELEVATION: 888FTDRILL DEPTH: 125FT

36N 4W 5

DEPTH TO BED: 40FTUTM X UTM Y
641,845.57 4,193,034.03
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: KEYSVILLE, MO.S.W.L. (AFTER CASING): 4**LOG ID:****011373**WELL TYPE

Private Well

DRILL DATE: 1949/00/00TOWNSHIP RANGE SECTIONELEVATION: 855FTDRILL DEPTH: 175FT

36N 5W 12

DEPTH TO BED: 110FTUTM X UTM Y
637,751.51 4,191,263.94
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: WESCO, MO.S.W.L. (AFTER CASING):**LOG ID:****020868**WELL TYPE

Private Well

DRILL DATE: 1961/10/01TOWNSHIP RANGE SECTIONELEVATION: 906FTDRILL DEPTH: 160FT

36N 5W 12

DEPTH TO BED: 85FTUTM X UTM Y
637,951.52 4,190,960.94
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: WESCO, MO.S.W.L. (AFTER CASING): 40**LOG ID:****023573**WELL TYPE

Private Well

DRILL DATE: 1965/03/01TOWNSHIP RANGE SECTIONELEVATION: 895FTDRILL DEPTH: 140FT

36N 5W 12

DEPTH TO BED: 35FTUTM X UTM Y
637,951.51 4,191,263.95
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: WESCO, MO.S.W.L. (AFTER CASING): 40



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020178**WELL TYPE

Private Well

DRILL DATE: 1959/10/01TOWNSHIPRANGESECTIONELEVATION:

1,103FT

DRILL DEPTH: 315FT

36N

5W

15

DEPTH TO BED: 95FTUTM XUTM Y

634,513.46

4,189,791.88

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:BURLEIGH RIDGE RD, N & W OF COOK'S STATION CHARCOAL
PLANTS.W.L. (AFTER CASING): 140**LOG ID:****027546**WELL TYPE

Private Well

DRILL DATE: 1970/09/02TOWNSHIPRANGESECTIONELEVATION:

1,037FT

DRILL DEPTH: 400FT

36N

5W

19

DEPTH TO BED: 170FTUTM XUTM Y

630,364.45

4,187,418.79

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****010485**WELL TYPE

Private Well

DRILL DATE: 1948/09/18TOWNSHIPRANGESECTIONELEVATION:

1,004FT

DRILL DEPTH: 45FT

36N

5W

21

DEPTH TO BED:UTM XUTM Y

633,706.49

4,186,771.81

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

2.5 MI W OF COOK'S STATION

S.W.L. (AFTER CASING): 25**LOG ID:****027155**WELL TYPE

Private Well

DRILL DATE: 1970/05/01TOWNSHIPRANGESECTIONELEVATION:

1,086FT

DRILL DEPTH:

36N

5W

22

DEPTH TO BED: 110FTUTM XUTM Y

635,919.53

4,187,193.84

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

@ COOK'S STATION; NO TOTAL DEPTH

S.W.L. (AFTER CASING): 260



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006258**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1940/00/00TOWNSHIP RANGE SECTIONELEVATION: 1,155FTDRILL DEPTH: 130FT

36N 5W 32

UTM X UTM YDEPTH TO BED:631,712.50 4,183,542.72
ZONE 15S.W.L. (BEFORE CASING):REMARKS: IRON ORES.W.L. (AFTER CASING):**LOG ID:****008092**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/02/24TOWNSHIP RANGE SECTIONELEVATION: 1,184FTDRILL DEPTH: 195FT

36N 5W 32

UTM X UTM YDEPTH TO BED: 180FT631,912.50 4,183,542.72
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: ORE ZONE 115-130'S.W.L. (AFTER CASING): 195**LOG ID:****008132**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/02/25TOWNSHIP RANGE SECTIONELEVATION: 1,206FTDRILL DEPTH: 191FT

36N 5W 32

UTM X UTM YDEPTH TO BED:631,912.50 4,183,542.72
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: IRON ORE- RESIDUAL ROUBIDOUX & GASCONADES.W.L. (AFTER CASING): 150**LOG ID:****008133**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/03/05TOWNSHIP RANGE SECTIONELEVATION: 1,183FTDRILL DEPTH: 193FT

36N 5W 32

UTM X UTM YDEPTH TO BED: 190FT631,812.50 4,183,641.72
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: IRON ORE MINE PROSPECT HOLES.W.L. (AFTER CASING): 113

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
008134

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/03/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,203FT
<u>DRILL DEPTH:</u>	190FT	36N	5W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	185FT				631,812.50	4,183,641.72
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	IRON ORE PROSPECT HOLE			
<u>S.W.L. (AFTER CASING):</u>	150					

LOG ID:
008209

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/03/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,200FT
<u>DRILL DEPTH:</u>	120FT	36N	5W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					631,812.50	4,183,641.72
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	USBM #4452			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
008218

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/03/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,210FT
<u>DRILL DEPTH:</u>	195FT	36N	5W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					631,912.50	4,183,641.72
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	IRON ORE PROSPECT			
<u>S.W.L. (AFTER CASING):</u>	135					

LOG ID:
002703

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1933/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	991FT
<u>DRILL DEPTH:</u>	130FT	36N	5W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				636,330.58	4,184,019.78
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	STEELVILLE			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013396**WELL TYPE

Private Well

DRILL DATE: 1954/00/00 TOWNSHIP 36N RANGE 5W SECTION 5 ELEVATION: 863FT
DRILL DEPTH: 58FT UTM X 631,690.37 UTM Y 4,192,548.91
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: NEAR OLD BENTON SCHOOL, MAY BE EMINENCE (GROHSKOPF)
S.W.L. (AFTER CASING): 4

LOG ID:**026122**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 36N RANGE 5W SECTION 5 ELEVATION: 840FT
DRILL DEPTH: 235FT UTM X 631,990.37 UTM Y 4,192,236.90
DEPTH TO BED: 100FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SCANNED, TOPS ONLY; "CAN'T LOCATE"
S.W.L. (AFTER CASING):

LOG ID:**010843**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1949/06/01 TOWNSHIP 37N RANGE 2W SECTION 11 ELEVATION: 752FT
DRILL DEPTH: 970FT UTM X 666,429.71 UTM Y 4,200,126.30
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: EITHER OIL & GAS OF MINERALS EXPLORATION
S.W.L. (AFTER CASING):

LOG ID:**010916**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1949/07/01 TOWNSHIP 37N RANGE 2W SECTION 11 ELEVATION: 755FT
DRILL DEPTH: 1,225FT UTM X 665,029.71 UTM Y 4,200,634.31
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #C-6 RUBE KING LEASE
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004943**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1938/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	756FT
<u>DRILL DEPTH:</u>	163FT	37N	2W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				666,244.71	4,199,553.29
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	12					

REMARKS:**LOG ID:****014098**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1955/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	775FT
<u>DRILL DEPTH:</u>	125FT	37N	2W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				660,452.75	4,197,926.25
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	55					

REMARKS: OLD WELL DEEPENED - SEE LOG #14277**LOG ID:****027830**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1975/03/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	826FT
<u>DRILL DEPTH:</u>	340FT	37N	2W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				661,583.75	4,197,731.25
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	80					

REMARKS:**LOG ID:****025802**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	810FT
<u>DRILL DEPTH:</u>	1,657FT	37N	2W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	1,050FT				664,061.76	4,195,728.21
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: CORE ABOVE 1054' DESTROYED BY ASARCO



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014277**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1955/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	775FT
<u>DRILL DEPTH:</u>	145FT	37N	2W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	105FT				662,029.76	4,196,220.22
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL 105-125' (#14098) DEEPENED 130-145' (#14277)			
<u>S.W.L. (AFTER CASING):</u>	55					

LOG ID:**010784**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1949/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	741FT
<u>DRILL DEPTH:</u>	1,136FT	37N	2W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				664,820.69	4,202,310.34
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#C-1 LAWSON			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**012709**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1952/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	768FT
<u>DRILL DEPTH:</u>	78FT	37N	2W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				664,820.70	4,201,328.32
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	41					

LOG ID:**006241**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	770FT
<u>DRILL DEPTH:</u>	80FT	37N	2W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				661,221.79	4,194,348.19
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	HUZZAH RIVER			
<u>S.W.L. (AFTER CASING):</u>	40					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004779**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1938/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	722FT
<u>DRILL DEPTH:</u>	55FT	37N	3W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				657,026.71	4,202,626.34
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI UPSTREAM FROM HILLER BRIDGE			
<u>S.W.L. (AFTER CASING):</u>	8					

LOG ID:**004778**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1938/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	705FT
<u>DRILL DEPTH:</u>	65FT	37N	3W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				656,235.73	4,200,685.30
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ON DRY CK, 1.5 MI BELOW WESTOVER FISH HATCHERY			
<u>S.W.L. (AFTER CASING):</u>	35					

LOG ID:**023962**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1965/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	240FT	37N	3W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				656,135.73	4,200,584.30
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	MAY BE "HALBERT, CARMAN, & PEEL"			
<u>S.W.L. (AFTER CASING):</u>	180					

LOG ID:**011008**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1946/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,029FT
<u>DRILL DEPTH:</u>	155FT	37N	3W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				649,510.69	4,197,093.19
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	VALLEY SIDE RD ABT 2.5 MI OFF HWY 19			
<u>S.W.L. (AFTER CASING):</u>	110					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018636**WELL TYPE

Private Well

DRILL DATE: 1959/00/00TOWNSHIP RANGE SECTION

37N

3W

2

ELEVATION: 748FTDRILL DEPTH: 105FTUTM X UTM YDEPTH TO BED: 20FT

655,336.72 4,202,189.33

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 5 MI E OF STEELVILLE, 2 MI OFF HWY 8 ON CHERRYVILLE RDS.W.L. (AFTER CASING):**LOG ID:****010472**WELL TYPE

Private Well

DRILL DATE: 1948/07/01TOWNSHIP RANGE SECTION

37N

3W

21

ELEVATION: 912FTDRILL DEPTH: 160FTUTM X UTM YDEPTH TO BED: 65FT

652,521.76 4,196,544.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI N OF CHERRYVILLE ON OLD RDS.W.L. (AFTER CASING): 70**LOG ID:****004780**WELL TYPE

Private Well

DRILL DATE: 1938/02/01TOWNSHIP RANGE SECTION

37N

3W

26

ELEVATION: 790FTDRILL DEPTH: 71FTUTM X UTM YDEPTH TO BED: 15FT

655,735.79 4,196,163.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Bowers & CottrelS.W.L. (AFTER CASING): 12**LOG ID:****026123**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

37N

3W

28

ELEVATION: 878FTDRILL DEPTH: 155FTUTM X UTM YDEPTH TO BED: 35FT

652,721.78 4,195,136.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: VALLEY SIDE RD, 6 MI SE OF STEELVILLES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025331**WELL TYPE

Private Well

DRILL DATE: 1967/07/01TOWNSHIPRANGESECTIONELEVATION:

936FT

DRILL DEPTH: 261FT

37N

3W

3

DEPTH TO BED: 60FTUTM XUTM Y

654,241.72

4,201,912.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 6 MI E OF STEELVILLE, 1 MI E OF OLD CHERRYVILLE MINES.W.L. (AFTER CASING): 190**LOG ID:****008773**WELL TYPE

Private Well

DRILL DATE: 1944/00/00TOWNSHIPRANGESECTIONELEVATION:

1,017FT

DRILL DEPTH: 216FT

37N

3W

31

DEPTH TO BED: 60FTUTM XUTM Y

649,613.72

4,194,653.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 150**LOG ID:****024198**WELL TYPE

Private Well

DRILL DATE: 1965/12/01TOWNSHIPRANGESECTIONELEVATION:

972FT

DRILL DEPTH: 240FT

37N

3W

33

DEPTH TO BED: 80FTUTM XUTM Y

653,418.81

4,194,239.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WESTOVER RD, 9 MI S OF STEELEVILLE ON HWY 19, 1 MI E.S.W.L. (AFTER CASING):**LOG ID:****004790**WELL TYPE

Private Well

DRILL DATE: 1938/02/01TOWNSHIPRANGESECTIONELEVATION:

801FT

DRILL DEPTH: 41FT

37N

3W

35

DEPTH TO BED:UTM XUTM Y

656,533.80

4,194,744.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 8

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004692**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/04/01TOWNSHIPRANGESECTIONELEVATION:

37N

3W

4

DRILL DEPTH: 127FTUTM XUTM YDEPTH TO BED: 90FT

652,833.70

4,202,116.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PYRITE TEST HOLE; CLAIMED TO BE SAME AS #5272S.W.L. (AFTER CASING):**LOG ID:****004862**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/00/00TOWNSHIPRANGESECTIONELEVATION:

812FT

DRILL DEPTH: 67FT

37N

3W

4

UTM XUTM YDEPTH TO BED:

653,033.71

4,201,705.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PYRITE TEST HOLES.W.L. (AFTER CASING):**LOG ID:****004863**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/00/00TOWNSHIPRANGESECTIONELEVATION:

809FT

DRILL DEPTH: 80FT

37N

3W

4

UTM XUTM YDEPTH TO BED:

653,033.71

4,201,705.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PYRITE TEST HOLES.W.L. (AFTER CASING):**LOG ID:****004864**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/00/00TOWNSHIPRANGESECTIONELEVATION:

806FT

DRILL DEPTH: 73FT

37N

3W

4

UTM XUTM YDEPTH TO BED:

653,033.71

4,201,705.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PYRITE TEST HOLES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004865**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/00/00TOWNSHIP RANGE SECTIONELEVATION: 807FTDRILL DEPTH: 108FT

37N

3W

4

UTM XUTM YDEPTH TO BED:653,033.71 4,201,705.31
ZONE 15S.W.L. (BEFORE CASING):REMARKS: PYRITE PROSPECTS.W.L. (AFTER CASING):**LOG ID:****004866**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/00/00TOWNSHIP RANGE SECTIONELEVATION: 825FTDRILL DEPTH: 87FT

37N

3W

4

UTM XUTM YDEPTH TO BED:653,033.71 4,201,705.31
ZONE 15S.W.L. (BEFORE CASING):REMARKS: PYRITE TEST HOLES.W.L. (AFTER CASING):**LOG ID:****004867**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/00/00TOWNSHIP RANGE SECTIONELEVATION: 813FTDRILL DEPTH: 45FT

37N

3W

4

UTM XUTM YDEPTH TO BED:652,933.71 4,201,602.31
ZONE 15S.W.L. (BEFORE CASING):REMARKS: PYRITE TEST HOLES.W.L. (AFTER CASING):**LOG ID:****004868**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/00/00TOWNSHIP RANGE SECTIONELEVATION: 817FTDRILL DEPTH: 83FT

37N

3W

4

UTM XUTM YDEPTH TO BED:653,033.71 4,201,705.31
ZONE 15S.W.L. (BEFORE CASING):REMARKS: PYRITE TEST HOLES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004869**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/00/00TOWNSHIPRANGESECTIONELEVATION:

859FT

DRILL DEPTH: 255FT

37N

3W

4

DEPTH TO BED: 245FTUTM XUTM Y

653,033.71

4,201,705.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PYRITE TEST HOLES.W.L. (AFTER CASING):**LOG ID:****004870**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/00/00TOWNSHIPRANGESECTIONELEVATION:

855FT

DRILL DEPTH: 142FT

37N

3W

4

DEPTH TO BED:UTM XUTM Y

653,033.71

4,201,705.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PYRITE TEST HOLES.W.L. (AFTER CASING):**LOG ID:****004871**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/00/00TOWNSHIPRANGESECTIONELEVATION:

901FT

DRILL DEPTH: 210FT

37N

3W

4

DEPTH TO BED:UTM XUTM Y

653,033.71

4,201,705.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PYRITE TEST HOLES.W.L. (AFTER CASING):**LOG ID:****004872**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/00/00TOWNSHIPRANGESECTIONELEVATION:

898FT

DRILL DEPTH: 179FT

37N

3W

4

DEPTH TO BED:UTM XUTM Y

652,933.71

4,201,808.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PYRITE TEST HOLES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004873**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/00/00TOWNSHIP RANGE SECTIONELEVATION: 836FTDRILL DEPTH: 335FT

37N

3W

4

UTM XUTM YDEPTH TO BED:653,033.71 4,201,705.31
ZONE 15S.W.L. (BEFORE CASING):REMARKS: PYRITE PROSPECT HOLES.W.L. (AFTER CASING):**LOG ID:****004915**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/07/01TOWNSHIP RANGE SECTIONELEVATION: 856FTDRILL DEPTH: 129FT

37N

3W

4

UTM XUTM YDEPTH TO BED:653,033.71 4,201,705.31
ZONE 15S.W.L. (BEFORE CASING):REMARKS: PYRITE TEST HOLES.W.L. (AFTER CASING):**LOG ID:****005006**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/07/01TOWNSHIP RANGE SECTIONELEVATION: 903FTDRILL DEPTH: 325FT

37N

3W

4

UTM XUTM YDEPTH TO BED: 270FT653,033.71 4,201,705.31
ZONE 15S.W.L. (BEFORE CASING):REMARKS: PYRITE TEST HOLE, HOLES 29 & 32, 29 LOST @ 115', 155-TD #32S.W.L. (AFTER CASING):**LOG ID:****005007**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/07/01TOWNSHIP RANGE SECTIONELEVATION: 888FTDRILL DEPTH: 288FT

37N

3W

4

UTM XUTM YDEPTH TO BED: 235FT652,933.71 4,201,808.31
ZONE 15S.W.L. (BEFORE CASING):REMARKS: PYRITE TEST HOLES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005031**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/08/01TOWNSHIP RANGE SECTIONELEVATION:DRILL DEPTH: 71FT

37N

3W

4

DEPTH TO BED:UTM X UTM Y
653,033.71 4,201,705.31
ZONE 15S.W.L. (BEFORE CASING):REMARKS: PYRITE TEST HOLES.W.L. (AFTER CASING):**LOG ID:****007163**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 908FTDRILL DEPTH: 220FT

37N

3W

4

DEPTH TO BED: 130FTUTM X UTM Y
652,933.71 4,201,602.31
ZONE 15S.W.L. (BEFORE CASING):REMARKS: OLD WELL TO 96', DEEPENED TO 220'S.W.L. (AFTER CASING):**LOG ID:****007967**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/10/01TOWNSHIP RANGE SECTIONELEVATION: 911FTDRILL DEPTH: 90FT

37N

3W

4

DEPTH TO BED:UTM X UTM Y
652,833.70 4,202,116.31
ZONE 15S.W.L. (BEFORE CASING):REMARKS: SW SIDE OF OPEN PIT IN BOTTOM OPPOSITE OLD INCLINES.W.L. (AFTER CASING):**LOG ID:****007973**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/10/01TOWNSHIP RANGE SECTIONELEVATION: 911FTDRILL DEPTH: 141FT

37N

3W

4

DEPTH TO BED:UTM X UTM Y
652,833.70 4,202,116.31
ZONE 15S.W.L. (BEFORE CASING):REMARKS: N SIDE OF OPEN PIT, TEST HOLES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008041**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/12/01TOWNSHIPRANGESECTIONELEVATION:

972FT

DRILL DEPTH: 90FT

37N

3W

4

UTM XUTM YDEPTH TO BED:

652,833.70

4,202,116.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:ABT 75' N OF OLD POWDER MAGAZINE, E OF OPEN PIT; PYRITE
PROSPECT HOLES.W.L. (AFTER CASING):**LOG ID:****008043**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/10/01TOWNSHIPRANGESECTIONELEVATION:

975FT

DRILL DEPTH: 190FT

37N

3W

4

UTM XUTM YDEPTH TO BED: 188FT

652,833.70

4,202,116.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:JUST W OF OLD SLIGO HOLE NEAR END OF RR SPUR, SE SD OF
OPEN PITS.W.L. (AFTER CASING):**LOG ID:****008091**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/01/01TOWNSHIPRANGESECTIONELEVATION:

954FT

DRILL DEPTH: 126FT

37N

3W

4

UTM XUTM YDEPTH TO BED: 85FT

652,833.70

4,202,116.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:IRON PROSPECT - NO ORE; E OF PIT NEAR OLD POWDER
MAGAZINES.W.L. (AFTER CASING):**LOG ID:****008240**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/04/01TOWNSHIPRANGESECTIONELEVATION:

964FT

DRILL DEPTH: 150FT

37N

3W

4

UTM XUTM YDEPTH TO BED:

652,833.70

4,202,116.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

PROSPECT HOLE, FACING P. 18, RI 4452; NO IRON ORE

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008241**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/00/00TOWNSHIPRANGESECTIONELEVATION:

944FT

DRILL DEPTH: 136FT

37N

3W

4

DEPTH TO BED:UTM XUTM Y

652,833.70

4,202,116.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO ORE; SE PLAT FOR LOCATIONS.W.L. (AFTER CASING):**LOG ID:****008242**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/00/00TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 120FT

37N

3W

4

DEPTH TO BED:UTM XUTM Y

652,833.70

4,202,116.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: IRON PROSPECT; NO BEDROCKS.W.L. (AFTER CASING):**LOG ID:****008243**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/00/00TOWNSHIPRANGESECTIONELEVATION:

924FT

DRILL DEPTH: 120FT

37N

3W

4

DEPTH TO BED:UTM XUTM Y

652,833.70

4,202,116.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: IRON PROSPECT; NO BEDROCK, ROUBIDOUX-GASCONADE
RESIDUUMS.W.L. (AFTER CASING):**LOG ID:****008244**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/00/00TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 120FT

37N

3W

4

DEPTH TO BED:UTM XUTM Y

652,833.70

4,202,116.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: IRON PROSPECT; NO BEDROCK - ROUBIDOUX RESIDUUMS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008245**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/00/00TOWNSHIP RANGE SECTIONELEVATION:DRILL DEPTH: 66FT

37N

3W

4

DEPTH TO BED:UTM XUTM Y

652,833.70

4,202,116.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PROSPECT HOLE, NO BEDROCKS.W.L. (AFTER CASING):**LOG ID:****008207**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIP RANGE SECTIONELEVATION: 873FTDRILL DEPTH: 65FT

37N

3W

9

DEPTH TO BED: 20FTUTM XUTM Y

653,524.74

4,200,180.29

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 35**LOG ID:****013582**WELL TYPE

Private Well

DRILL DATE: 1955/04/01TOWNSHIP RANGE SECTIONELEVATION: 960FTDRILL DEPTH: 250FT

37N

3W

9

DEPTH TO BED: 45FTUTM XUTM Y

652,724.71

4,201,220.30

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI W OF CHERRYVILLE MINE; YIELD - 2.5 GPM @ 210'S.W.L. (AFTER CASING): 155**LOG ID:****010901**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 863FTDRILL DEPTH: 111FT

37N

4W

1

DEPTH TO BED: 25FTUTM XUTM Y

648,945.61

4,202,372.28

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD CHERRYVILLE RD & STEELVILLE RDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020850

WELL TYPE
Community Public Well

DRILL DATE: 1962/00/00 TOWNSHIP 37N RANGE 4W SECTION 1 ELEVATION: 807FT
DRILL DEPTH: UTM X UTM Y
DEPTH TO BED: 647,867.59 4,202,107.26
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: COULD NOT LOCATE; PLUGGED & ABANDONED
S.W.L. (AFTER CASING):

LOG ID:
023679

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 37N RANGE 4W SECTION 1 ELEVATION: 807FT
DRILL DEPTH: 120FT UTM X UTM Y
DEPTH TO BED: 75FT 647,867.59 4,202,107.26
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
002405

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1930/10/28 TOWNSHIP 37N RANGE 4W SECTION 11 ELEVATION: 990FT
DRILL DEPTH: 285FT UTM X UTM Y
DEPTH TO BED: 60FT 647,229.60 4,199,856.21
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: STEELVILLE PUMPING STATION #1 - Driller's Log Attached
S.W.L. (AFTER CASING): 186

LOG ID:
027936

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1974/12/01 TOWNSHIP 37N RANGE 4W SECTION 11 ELEVATION: 1,000FT
DRILL DEPTH: 425FT UTM X UTM Y
DEPTH TO BED: 175FT 646,919.59 4,200,077.22
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: PRE-GUNTER SAMPLES UNUSUAL
S.W.L. (AFTER CASING): 190



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013899**WELL TYPE

Private Well

DRILL DATE: 1955/04/01TOWNSHIPRANGESECTIONELEVATION:

981FT

DRILL DEPTH: 215FT

37N

4W

12

DEPTH TO BED: 100FTUTM XUTM Y

648,735.64

4,199,958.23

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****013897**WELL TYPE

Private Well

DRILL DATE: 1955/05/01TOWNSHIPRANGESECTIONELEVATION:

997FT

DRILL DEPTH: 255FT

37N

4W

14

DEPTH TO BED: 115FTUTM XUTM Y

647,321.61

4,199,560.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 170**LOG ID:****014437**WELL TYPE

Private Well

DRILL DATE: 1955/10/01TOWNSHIPRANGESECTIONELEVATION:

990FT

DRILL DEPTH: 215FT

37N

4W

14

DEPTH TO BED: 60FTUTM XUTM Y

647,321.62

4,198,358.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 146**LOG ID:****011372**WELL TYPE

Private Well

DRILL DATE: 1949/00/00TOWNSHIPRANGESECTIONELEVATION:

1,000FT

DRILL DEPTH: 177FT

37N

4W

18

DEPTH TO BED: 60FTUTM XUTM Y

639,793.44

4,199,378.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI S OF HWY 8, 0.5 MI E OF HWY MS.W.L. (AFTER CASING): 150



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011012**WELL TYPE

Private Well

DRILL DATE: 1946/00/00 TOWNSHIP 37N RANGE 4W SECTION 24 ELEVATION: 1,005FT
DRILL DEPTH: 164FT UTM X 648,308.65 UTM Y 4,197,953.19
DEPTH TO BED: 120FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Humphery - Valley Side Rd, 1.5 mi off Hwy 19
S.W.L. (AFTER CASING): 100

LOG ID:**026120**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 37N RANGE 4W SECTION 25 ELEVATION: 1,010FT
DRILL DEPTH: 237FT UTM X 649,014.69 UTM Y 4,196,092.16
DEPTH TO BED: 130FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**025428**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 37N RANGE 4W SECTION 27 ELEVATION: 1,052FT
DRILL DEPTH: 260FT UTM X 644,286.58 UTM Y 4,196,355.12
DEPTH TO BED: 90FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:**013898**WELL TYPE

Private Well

DRILL DATE: 1955/04/06 TOWNSHIP 37N RANGE 4W SECTION 3 ELEVATION: 948FT
DRILL DEPTH: 280FT UTM X 645,709.55 UTM Y 4,201,571.23
DEPTH TO BED: 125FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 200



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023758

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1965/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	949FT
<u>DRILL DEPTH:</u>	235FT	37N	4W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	95FT				645,509.54	4,201,769.23
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2 MI S OF STEELVILLE ON HWY 19			
<u>S.W.L. (AFTER CASING):</u>	165				ZONE 15	

LOG ID:
008042

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1942/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	943FT
<u>DRILL DEPTH:</u>	165FT	37N	4W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	155FT				643,407.49	4,202,064.22
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	OUTSIDE OF OPEN PIT, NEAR SW CORNER, NEAR SLIGO HOLE			
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

LOG ID:
014498

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/08/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	888FT
<u>DRILL DEPTH:</u>	230FT	37N	4W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				642,907.47	4,202,752.23
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	90				ZONE 15	

LOG ID:
020568

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	922FT
<u>DRILL DEPTH:</u>	256FT	37N	4W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				644,107.50	4,202,556.23
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	170				ZONE 15	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023668**WELL TYPE

Private Well

DRILL DATE: 1965/06/01TOWNSHIPRANGESECTIONELEVATION:

933FT

DRILL DEPTH: 247FT

37N

4W

5

DEPTH TO BED: 95FTUTM XUTM Y

642,295.45

4,202,746.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI W OF STEELVILLE, 0.25 MI OFF HWY 8S.W.L. (AFTER CASING): 145**LOG ID:****004096**WELL TYPE

Private Well

DRILL DATE: 1936/09/01TOWNSHIPRANGESECTIONELEVATION:

926FT

DRILL DEPTH: 240FT

37N

4W

6

DEPTH TO BED: 35FTUTM XUTM Y

640,579.42

4,201,947.19

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****023925**WELL TYPE

Private Well

DRILL DATE: 1965/11/01TOWNSHIPRANGESECTIONELEVATION:

938FT

DRILL DEPTH: 205FT

37N

4W

7

DEPTH TO BED: 60FTUTM XUTM Y

639,384.42

4,200,564.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI SW OF STEELVILLE ON HWY MS.W.L. (AFTER CASING): 135**LOG ID:****025361**WELL TYPE

Private Well

DRILL DATE: 1966/00/00TOWNSHIPRANGESECTIONELEVATION:

956FT

DRILL DEPTH: 216FT

37N

4W

9

DEPTH TO BED: 105FTUTM XUTM Y

644,092.53

4,200,370.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 160



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021128**WELL TYPE

Private Well

DRILL DATE: 1962/06/01TOWNSHIPRANGESECTIONELEVATION:

1,098FT

DRILL DEPTH: 235FT

37N

5W

13

DEPTH TO BED: 140FTUTM XUTM Y

638,687.43

4,198,125.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 175**LOG ID:****026125**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,125FT

DRILL DEPTH: 220FT

37N

5W

14

DEPTH TO BED: 145FTUTM XUTM Y

636,467.38

4,198,502.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 5 MI W OF STEELVILLE ON HWY US.W.L. (AFTER CASING):**LOG ID:****014571**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1956/06/01TOWNSHIPRANGESECTIONELEVATION:

919FT

DRILL DEPTH: 500FT

37N

5W

18

DEPTH TO BED: 55FTUTM XUTM Y

630,410.29

4,197,957.01

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: MOUND RIDGE CAMPS.W.L. (AFTER CASING): 145**LOG ID:****025780**WELL TYPE

Private Well

DRILL DATE: 1968/09/01TOWNSHIPRANGESECTIONELEVATION:

956FT

DRILL DEPTH: 295FT

37N

5W

19

DEPTH TO BED: 30FTUTM XUTM Y

631,009.29

4,197,597.01

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023729

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	844FT
<u>DRILL DEPTH:</u>	160FT	37N	5W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				631,363.30	4,197,304.00
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 6-8 MI S OF MARAMEC SPRINGS				
<u>S.W.L. (AFTER CASING):</u>	17					

LOG ID:
018135

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,113FT
<u>DRILL DEPTH:</u>	244FT	37N	5W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	165FT				638,695.44	4,197,539.08
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> HWY M, 6.5 MI SW OF STEELVILLE				
<u>S.W.L. (AFTER CASING):</u>	175					

LOG ID:
008777

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1944/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	989FT
<u>DRILL DEPTH:</u>	185FT	37N	5W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				634,702.39	4,194,837.98
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> MERAMEC RIVER NEAR CEDAR FORD				
<u>S.W.L. (AFTER CASING):</u>	110					

LOG ID:
017004

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1957/11/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	937FT
<u>DRILL DEPTH:</u>	275FT	37N	5W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				633,406.36	4,194,885.97
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> MERAMEC RIVER AT CEDAR FORD, W OF STEELVILLE				
<u>S.W.L. (AFTER CASING):</u>	100					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024248

WELL TYPE
Private Well

DRILL DATE: 1966/04/01

TOWNSHIP 37N RANGE 5W SECTION 28

ELEVATION: 842FT

DRILL DEPTH: 215FT

DEPTH TO BED: 40FT

UTM X 634,206.37 UTM Y 4,195,407.99
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
025389

WELL TYPE
Private Well

DRILL DATE: 1968/01/24

TOWNSHIP 37N RANGE 5W SECTION 28

ELEVATION: 870FT

DRILL DEPTH: 420FT

DEPTH TO BED: 200FT

UTM X 633,706.36 UTM Y 4,195,825.99
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:
020873

WELL TYPE
Private Well

DRILL DATE: 1961/11/01

TOWNSHIP 37N RANGE 5W SECTION 3

ELEVATION: 975FT

DRILL DEPTH: 190FT

DEPTH TO BED: 85FT

UTM X 635,802.33 UTM Y 4,201,279.13
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 6 MI W OF STEELVILLE ON HWY 8

S.W.L. (AFTER CASING): 110

LOG ID:
023351

WELL TYPE
Private Well

DRILL DATE: 1964/09/01

TOWNSHIP 37N RANGE 5W SECTION 3

ELEVATION: 849FT

DRILL DEPTH: 170FT

DEPTH TO BED: 10FT

UTM X 635,002.30 UTM Y 4,202,065.13
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012323**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1953/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	851FT
<u>DRILL DEPTH:</u>	205FT	37N	5W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				632,089.34	4,194,560.95
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	formerly called Camp Tadmor - OLD WELL DEEPENED - SEE LOG			
<u>S.W.L. (AFTER CASING):</u>			#12708			

LOG ID:**012708**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1953/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	851FT
<u>DRILL DEPTH:</u>	203FT	37N	5W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				632,080.34	4,194,644.95
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly called Camp Tadmor - OLD WELL DEEPENED 175-203' (1954			
<u>S.W.L. (AFTER CASING):</u>	35		- LOG #12323)			

LOG ID:**004950**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1938/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	906FT
<u>DRILL DEPTH:</u>	160FT	37N	5W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				639,000.50	4,193,812.01
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	KEYSVILLE			
<u>S.W.L. (AFTER CASING):</u>	40					

LOG ID:**023574**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1965/04/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	873FT
<u>DRILL DEPTH:</u>	190FT	37N	5W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				638,900.50	4,193,504.00
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	5 MI FROM HWY 8 ON HWY M NEAR STEELVILLE; MAY ALL BE			
<u>S.W.L. (AFTER CASING):</u>	30		EMINENCE DOLOMITE			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008191**WELL TYPE

Private Well

DRILL DATE: 1943/04/01TOWNSHIP RANGE SECTIONELEVATION: 935FTDRILL DEPTH: 125FT

37N 5W 5

DEPTH TO BED: 60FTUTM X UTM Y
631,779.23 4,201,191.08
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 0.75 MI E OF STEELVILLE FORD ON HWY 8S.W.L. (AFTER CASING):**LOG ID:****008177**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/04/04TOWNSHIP RANGE SECTIONELEVATION: 785FTDRILL DEPTH: 25FT

37N 5W 7

DEPTH TO BED: 19FTUTM X UTM Y
630,391.25 4,200,400.06
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: ON BOTTOM, JUST W OF DIVERSION DITCH, OPPOSITE
OUTCROPS.W.L. (AFTER CASING): 12**LOG ID:****008187**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/04/19TOWNSHIP RANGE SECTIONELEVATION: 800FTDRILL DEPTH: 25FT

37N 5W 7

DEPTH TO BED: 10FTUTM X UTM Y
630,391.25 4,200,400.06
ZONE 15S.W.L. (BEFORE CASING):REMARKS: ON W BANK OF RIVER, ON BENCH ABOVE ORE OUTCROPS.W.L. (AFTER CASING):**LOG ID:****008230**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/04/21TOWNSHIP RANGE SECTIONELEVATION: 795FTDRILL DEPTH: 25FT

37N 5W 7

DEPTH TO BED: 15FTUTM X UTM Y
630,291.25 4,200,501.06
ZONE 15S.W.L. (BEFORE CASING):REMARKS: WEST BANK, N OF ORE OUTCROPS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023864**WELL TYPE

Private Well

DRILL DATE: 1965/10/01TOWNSHIPRANGESECTIONELEVATION:

824FT

DRILL DEPTH: 120FT

37N

5W

7

DEPTH TO BED: 25FTUTM XUTM Y

630,091.26

4,200,097.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: #2 TONY BLAKE; DEEPENED 1966 95-120' (#24345)S.W.L. (AFTER CASING): 72**LOG ID:****023865**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

940FT

DRILL DEPTH: 155FT

37N

5W

7

DEPTH TO BED: 60FTUTM XUTM Y

629,991.26

4,200,198.05

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****024345**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

824FT

DRILL DEPTH:

37N

5W

7

DEPTH TO BED:UTM XUTM Y

630,091.26

4,200,097.05

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED - SEE LOG #23864S.W.L. (AFTER CASING):**LOG ID:****024982**WELL TYPE

Private Well

DRILL DATE: 1966/12/01TOWNSHIPRANGESECTIONELEVATION:

863FT

DRILL DEPTH: 159FT

37N

5W

7

DEPTH TO BED: 13FTUTM XUTM Y

629,791.27

4,199,794.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: #3 TONY BLAKES.W.L. (AFTER CASING): 101

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015871

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1954/08/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>
		38N	2W	1	
<u>DRILL DEPTH:</u>	140FT				<u>UTM X</u> <u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				666,878.57 4,211,988.62
					ZONE 15
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	80				

LOG ID:
013007

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1952/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>
		38N	2W	16	
<u>DRILL DEPTH:</u>	180FT				<u>UTM X</u> <u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				662,579.63 4,208,621.48
					ZONE 15
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ELEVATION MAY BE 966'		
<u>S.W.L. (AFTER CASING):</u>					

LOG ID:
004732

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1938/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>
		38N	2W	18	705FT
<u>DRILL DEPTH:</u>	150FT				<u>UTM X</u> <u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				659,738.64 4,207,838.45
					ZONE 15
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ON COURTOIS CREEK		
<u>S.W.L. (AFTER CASING):</u>					

LOG ID:
010977

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1949/09/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>
		38N	2W	20	682FT
<u>DRILL DEPTH:</u>	1,126FT				<u>UTM X</u> <u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				661,086.65 4,206,766.42
					ZONE 15
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	BASS LEASE; 3 MI N OF HWY 8		
<u>S.W.L. (AFTER CASING):</u>	7				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010897**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1949/05/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	725FT
<u>DRILL DEPTH:</u>	1,165FT	38N	2W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				662,090.65	4,206,748.42
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	NEAR BUTTS;		ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	8					

LOG ID:**011371**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1949/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	806FT
<u>DRILL DEPTH:</u>	156FT	38N	2W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				663,090.65	4,206,748.42
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI E OF BUTTS		ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	50					

LOG ID:**011871**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1952//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	800FT
<u>DRILL DEPTH:</u>	130FT	38N	2W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				664,444.65	4,206,634.42
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	BAZIL CREEK LEASE		ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**010986**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1949/09/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	900FT
<u>DRILL DEPTH:</u>	1,110FT	38N	2W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT				666,365.65	4,206,141.42
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	JULES HARMON LEASE, 1.25 MI FROM HWY CC		ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010896**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1949/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	756FT
<u>DRILL DEPTH:</u>	1,095FT	38N	2W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				662,747.69	4,203,108.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	#C7 SISSON; ABT 7 MI FROM BERRYMAN - Driller's Log Attached			
<u>S.W.L. (AFTER CASING):</u>	30					

LOG ID:**011013**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1946/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	787FT
<u>DRILL DEPTH:</u>	105FT	38N	2W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				662,647.68	4,203,834.37
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	85					

LOG ID:**015900**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1956/09/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	847FT
<u>DRILL DEPTH:</u>	215FT	38N	2W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				661,947.68	4,204,354.37
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	145					

LOG ID:**017920**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1958/11/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	789FT
<u>DRILL DEPTH:</u>	118FT	38N	2W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				663,988.67	4,204,336.38
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	COURTOIS CREEK, 0.5 MI BELOW BUTTS BRIDGE			
<u>S.W.L. (AFTER CASING):</u>	90					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004344**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/07/01TOWNSHIP RANGE SECTIONELEVATION: 820FTDRILL DEPTH: 89FT

38N

2W

4

UTM XUTM YDEPTH TO BED:662,347.59 4,211,662.60
ZONE 15S.W.L. (BEFORE CASING):REMARKS: IRON PROSPECTS.W.L. (AFTER CASING):**LOG ID:****004358**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/07/01TOWNSHIP RANGE SECTIONELEVATION: 804FTDRILL DEPTH: 42FT

38N

2W

4

UTM XUTM YDEPTH TO BED:662,347.59 4,211,662.60
ZONE 15S.W.L. (BEFORE CASING):REMARKS: IRON ORE PROSPECTS.W.L. (AFTER CASING):**LOG ID:****024779**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1966/08/24TOWNSHIP RANGE SECTIONELEVATION: 682FTDRILL DEPTH: 70FT

38N

2W

7

UTM XUTM YDEPTH TO BED: 5FT658,929.61 4,209,979.53
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NOT SURE OF TOTAL DEPTHS.W.L. (AFTER CASING):**LOG ID:****023500**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 689FTDRILL DEPTH: 190FT

38N

2W

8

UTM XUTM YDEPTH TO BED: 15FT660,063.62 4,209,751.52
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: ABANDONED 12-1975, TOO MUCH IRONS.W.L. (AFTER CASING): 25



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003982**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1936/10/01TOWNSHIPRANGESECTIONELEVATION:

801FT

DRILL DEPTH: 53FT

38N

3W

1

UTM XUTM YDEPTH TO BED:

657,706.59

4,211,639.59

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:WILLIAMS & THOMAS; IN OLD ABANDONED IRON MINE, PYRITE
PROSPECTS.W.L. (AFTER CASING):**LOG ID:****003983**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1936/09/01TOWNSHIPRANGESECTIONELEVATION:

735FT

DRILL DEPTH: 36FT

38N

3W

1

UTM XUTM YDEPTH TO BED:

658,306.60

4,211,238.57

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

WILLIAMS & THOMAS - PROSPECT HOLE

S.W.L. (AFTER CASING):**LOG ID:****004768**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1938/04/01TOWNSHIPRANGESECTIONELEVATION:

673FT

DRILL DEPTH: 150FT

38N

3W

12

UTM XUTM YDEPTH TO BED: 50FT

657,794.61

4,210,566.55

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****022429**WELL TYPE

Private Well

DRILL DATE: 1962/12/08TOWNSHIPRANGESECTIONELEVATION:

679FT

DRILL DEPTH: 71FT

38N

3W

13

UTM XUTM YDEPTH TO BED: 25FT

657,504.65

4,207,837.44

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

10 MI E OF STEELVILLE, 4 MI ON HWY E, NEAR HUZZAH

S.W.L. (AFTER CASING): 60



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007945**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1941/00/00TOWNSHIP RANGE SECTIONELEVATION: 797FTDRILL DEPTH: 135FT

38N 3W 14

UTM X UTM YDEPTH TO BED:655,693.64 4,208,671.47
ZONE 15S.W.L. (BEFORE CASING):REMARKS: IRON PROSPECTS.W.L. (AFTER CASING):**LOG ID:****007946**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1941/00/00TOWNSHIP RANGE SECTIONELEVATION:DRILL DEPTH: 55FT

38N 3W 14

UTM X UTM YDEPTH TO BED:655,593.64 4,208,570.47
ZONE 15S.W.L. (BEFORE CASING):REMARKS: H. PENCE LEASE; IRON PROSPECTS.W.L. (AFTER CASING):**LOG ID:****008567**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/05/01TOWNSHIP RANGE SECTIONELEVATION: 763FTDRILL DEPTH: 60FT

38N 3W 14

UTM X UTM YDEPTH TO BED:655,893.64 4,208,267.46
ZONE 15S.W.L. (BEFORE CASING):REMARKS: RESIDUAL GASCONADE - MINERAL PROSPECTS.W.L. (AFTER CASING):**LOG ID:****008770**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 809FTDRILL DEPTH: 55FT

38N 3W 14

UTM X UTM YDEPTH TO BED:655,893.64 4,208,267.46
ZONE 15S.W.L. (BEFORE CASING):REMARKS: MINERAL PROSPECT - ROUBIDOUX RESIDUUMS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008771**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/05/01TOWNSHIP RANGE SECTIONELEVATION: 810FTDRILL DEPTH: 85FT

38N 3W 14

UTM X UTM YDEPTH TO BED:655,893.64 4,208,267.46
ZONE 15S.W.L. (BEFORE CASING):REMARKS: MINERAL PROSPECTS.W.L. (AFTER CASING):**LOG ID:****023919**WELL TYPE

Private Well

DRILL DATE: 260FTTOWNSHIP RANGE SECTIONELEVATION: 868FTDRILL DEPTH: 260FT

38N 3W 15

UTM X UTM YDEPTH TO BED: 205FT654,373.64 4,208,406.46
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATA; MOSTLY SKIPPED
INTERVALSS.W.L. (AFTER CASING):**LOG ID:****024112**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1965/00/00TOWNSHIP RANGE SECTIONELEVATION: 770FTDRILL DEPTH: 275FT

38N 3W 15

UTM X UTM YDEPTH TO BED: 25FT654,173.63 4,209,212.49
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 0-155' #24112, 155-TD #24324; CHURCH CAMPS.W.L. (AFTER CASING):**LOG ID:****024324**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1965/00/00TOWNSHIP RANGE SECTIONELEVATION: 719FTDRILL DEPTH: 275FT

38N 3W 15

UTM X UTM YDEPTH TO BED:654,173.63 4,209,212.49
ZONE 15S.W.L. (BEFORE CASING):REMARKS: OLD WELL (#24112) DEEPENED - SEE LOG #24112S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017659**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1958/00/00TOWNSHIPRANGESECTIONELEVATION:

921FT

DRILL DEPTH: 217FT

38N

3W

17

DEPTH TO BED: 60FTUTM XUTM Y

650,559.56

4,209,212.46

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5 MI E OF STEELVILLES.W.L. (AFTER CASING): 160**LOG ID:****020145**WELL TYPE

Private Well

DRILL DATE: 1961/05/27TOWNSHIPRANGESECTIONELEVATION:

696FT

DRILL DEPTH: 100FT

38N

3W

2

DEPTH TO BED:UTM XUTM Y

655,493.60

4,211,085.56

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI, OPPOSITE MOUTH OF HUZDAH CK ON MERAMEC RIVERS.W.L. (AFTER CASING): 40**LOG ID:****023960**WELL TYPE

Private Well

DRILL DATE: 1965/10/01TOWNSHIPRANGESECTIONELEVATION:

941FT

DRILL DEPTH: 247FT

38N

3W

20

DEPTH TO BED: 90FTUTM XUTM Y

650,644.60

4,206,392.37

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI E OF STEELVILLE, 0.5 MI N OF CENTER PT CHURCHS.W.L. (AFTER CASING): 170**LOG ID:****020169**WELL TYPE

Private Well

DRILL DATE: 1959/11/01TOWNSHIPRANGESECTIONELEVATION:

694FT

DRILL DEPTH: 105FT

38N

3W

25

DEPTH TO BED: 25FTUTM XUTM Y

657,460.68

4,204,757.38

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 10 MI E OF STEELVILLE - HWY 8 HUZDAH BRIDGES.W.L. (AFTER CASING): 70



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008772**WELL TYPE

Private Well

DRILL DATE: 1944/00/00TOWNSHIPRANGESECTIONELEVATION:

877FT

DRILL DEPTH: 195FT

38N

3W

26

DEPTH TO BED: 55FTUTM XUTM Y

656,581.69

4,204,547.37

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: HWY 8 NEAR HILLER BRIDGE; 2 LOGSS.W.L. (AFTER CASING): 140**LOG ID:****012706**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1953/08/01TOWNSHIPRANGESECTIONELEVATION:

934FT

DRILL DEPTH: 143FT

38N

3W

29

DEPTH TO BED: 70FTUTM XUTM Y

651,138.62

4,205,401.36

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 105**LOG ID:****017656**WELL TYPE

Private Well

DRILL DATE: 1958/07/01TOWNSHIPRANGESECTIONELEVATION:

958FT

DRILL DEPTH: 200FT

38N

3W

29

DEPTH TO BED: 80FTUTM XUTM Y

651,138.63

4,204,789.35

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI S OF CENTER POINT SCHOOLS.W.L. (AFTER CASING): 130**LOG ID:****024315**WELL TYPE

Private Well

DRILL DATE: 1966/05/01TOWNSHIPRANGESECTIONELEVATION:

994FT

DRILL DEPTH: 230FT

38N

3W

29

DEPTH TO BED: 90FTUTM XUTM Y

650,938.62

4,204,993.35

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 6 MI E OF STEELVILLE, 0.5 MI S OF CENTER POINT SCHOOLS.W.L. (AFTER CASING): 145



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016999**WELL TYPE

Private Well

DRILL DATE: 1958/01/01TOWNSHIPRANGESECTIONELEVATION:

978FT

DRILL DEPTH: 160FT

38N

3W

30

DEPTH TO BED: 115FTUTM XUTM Y

649,641.60

4,204,873.33

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: #3 SCOTIA RD, E STEELVILLE; OLD WELL TO 115'S.W.L. (AFTER CASING): 95**LOG ID:****015902**WELL TYPE

Private Well

DRILL DATE: 1956/07/01TOWNSHIPRANGESECTIONELEVATION:

921FT

DRILL DEPTH: 260FT

38N

3W

31

DEPTH TO BED: 100FTUTM XUTM Y

649,637.61

4,204,118.32

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****018124**WELL TYPE

Private Well

DRILL DATE: 1959/05/01TOWNSHIPRANGESECTIONELEVATION:

990FT

DRILL DEPTH: 195FT

38N

3W

31

DEPTH TO BED: 90FTUTM XUTM Y

649,837.61

4,204,205.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI E OF STEELVILLE ON HWY 8S.W.L. (AFTER CASING): 130**LOG ID:****020140**WELL TYPE

Private Well

DRILL DATE: 1959/10/01TOWNSHIPRANGESECTIONELEVATION:

926FT

DRILL DEPTH: 113FT

38N

3W

31

DEPTH TO BED: 80FTUTM XUTM Y

649,237.59

4,204,292.32

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 4.5 MI E OF STEELVILLE ON HWY 8S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
008775

WELL TYPE
Private Well

DRILL DATE: 1944/00/00 TOWNSHIP 38N RANGE 3W SECTION 32 ELEVATION: 1,053FT
DRILL DEPTH: 290FT UTM X 651,731.67 UTM Y 4,202,972.32
DEPTH TO BED: 120FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI S OF STORE, 6 MI FROM STEELVILLE OFF HWY 8
S.W.L. (AFTER CASING): 240

LOG ID:
015425

WELL TYPE
Private Well

DRILL DATE: 1956/09/25 TOWNSHIP 38N RANGE 3W SECTION 32 ELEVATION: 1,030FT
DRILL DEPTH: 290FT UTM X 651,531.65 UTM Y 4,203,790.33
DEPTH TO BED: 65FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 250

LOG ID:
017661

WELL TYPE
Private Well

DRILL DATE: 1958/08/01 TOWNSHIP 38N RANGE 3W SECTION 32 ELEVATION: 1,050FT
DRILL DEPTH: 306FT UTM X 651,831.66 UTM Y 4,203,484.33
DEPTH TO BED: 90FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: MAY BE ALL GASCONADE
S.W.L. (AFTER CASING): 226

LOG ID:
019490

WELL TYPE
Private Well

DRILL DATE: 1960/11/01 TOWNSHIP 38N RANGE 3W SECTION 32 ELEVATION: 990FT
DRILL DEPTH: 118FT UTM X 650,437.63 UTM Y 4,203,946.32
DEPTH TO BED: 100FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 5 MI E OF STEELVILLE ON HWY 8; OLD WELL TO 100'
S.W.L. (AFTER CASING): 88



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020171

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,023FT
38N 3W 32
DRILL DEPTH: 195FT UTM X UTM Y
DEPTH TO BED: 95FT 651,131.64 4,203,790.33
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: HWY 8 E OF STEELVILLE
S.W.L. (AFTER CASING):

LOG ID:
023594

WELL TYPE
Private Well

DRILL DATE: 1965/06/09 TOWNSHIP RANGE SECTION ELEVATION: 1,023FT
38N 3W 32
DRILL DEPTH: 152FT UTM X UTM Y
DEPTH TO BED: 40FT 650,531.63 4,203,790.32
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 5 MI SE OF STEELVILLE ON HWY 8
S.W.L. (AFTER CASING):

LOG ID:
024195

WELL TYPE
Private Well

DRILL DATE: 1966/03/01 TOWNSHIP RANGE SECTION ELEVATION: 1,039FT
38N 3W 32
DRILL DEPTH: 311FT UTM X UTM Y
DEPTH TO BED: 115FT 651,831.66 4,203,484.33
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 5 MI E OF STEELVILLE, 0.5 MI S OF STORE
S.W.L. (AFTER CASING): 240

LOG ID:
002796

WELL TYPE
Private Well

DRILL DATE: 1933/12/01 TOWNSHIP RANGE SECTION ELEVATION: 952FT
38N 3W 34
DRILL DEPTH: 160FT UTM X UTM Y
DEPTH TO BED: 55FT 654,663.71 4,203,299.35
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NEAR STEELVILLE
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008208**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIPRANGESECTIONELEVATION:

942FT

DRILL DEPTH: 275FT

38N

3W

34

DEPTH TO BED: 110FTUTM XUTM Y

653,763.71

4,203,396.35

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 220**LOG ID:****020212**WELL TYPE

Private Well

DRILL DATE: 1961/04/01TOWNSHIPRANGESECTIONELEVATION:

922FT

DRILL DEPTH: 293FT

38N

3W

34

DEPTH TO BED: 145FTUTM XUTM Y

654,963.70

4,203,590.35

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 8 MI E OF STEELVILLE ON HWY 8S.W.L. (AFTER CASING): 200**LOG ID:****023592**WELL TYPE

Private Well

DRILL DATE: 1965/06/10TOWNSHIPRANGESECTIONELEVATION:

868FT

DRILL DEPTH: 290FT

38N

3W

4

DEPTH TO BED: 220FTUTM XUTM Y

652,206.56

4,211,843.57

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 6-7 MI S OF LEASBURG; OLD WELL TO 220'S.W.L. (AFTER CASING):**LOG ID:****026117**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

806FT

DRILL DEPTH: 155FT

38N

3W

8

DEPTH TO BED: 50FTUTM XUTM Y

651,867.58

4,209,921.50

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI E OF LIBERT CHURCH, 1 MI FROM HWY TT; SCANNEDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014243**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1955/00/00TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 180FT

38N

4W

11

DEPTH TO BED: 10FTUTM XUTM Y

646,141.46

4,209,399.42

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****004197**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/04/01TOWNSHIPRANGESECTIONELEVATION:

768FT

DRILL DEPTH: 103FT

38N

4W

13

DEPTH TO BED:UTM XUTM Y

647,765.50

4,208,966.42

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PYRITE PROSPECTS.W.L. (AFTER CASING):**LOG ID:****004214**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/05/01TOWNSHIPRANGESECTIONELEVATION:

712FT

DRILL DEPTH: 150FT

38N

4W

13

DEPTH TO BED: 100FTUTM XUTM Y

648,064.51

4,208,867.42

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 25' W OF #1, PYRITE PROSPECTS.W.L. (AFTER CASING):**LOG ID:****004275**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/06/01TOWNSHIPRANGESECTIONELEVATION:

712FT

DRILL DEPTH: 99FT

38N

4W

13

DEPTH TO BED:UTM XUTM Y

648,064.51

4,208,867.42

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PYRITE PROSPECTS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004332**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/07/01TOWNSHIP RANGE SECTIONELEVATION: 712FTDRILL DEPTH: 59FT

38N 4W 13

DEPTH TO BED:UTM X UTM Y
648,064.51 4,208,867.42
ZONE 15S.W.L. (BEFORE CASING):REMARKS: PYRITE PROSPECTS.W.L. (AFTER CASING):**LOG ID:****016549**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/08/01TOWNSHIP RANGE SECTIONELEVATION: 764FTDRILL DEPTH: 85FT

38N 4W 13

DEPTH TO BED:UTM X UTM Y
647,864.50 4,209,065.43
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****016550**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/07/01TOWNSHIP RANGE SECTIONELEVATION: 764FTDRILL DEPTH: 89FT

38N 4W 13

DEPTH TO BED: 30FTUTM X UTM Y
647,864.50 4,209,065.43
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****016577**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/07/01TOWNSHIP RANGE SECTIONELEVATION: 764FTDRILL DEPTH: 30FT

38N 4W 13

DEPTH TO BED:UTM X UTM Y
647,864.50 4,209,065.43
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016578**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/07/01TOWNSHIPRANGESECTIONELEVATION:

804FT

DRILL DEPTH: 102FT

38N

4W

13

DEPTH TO BED: 60FTUTM XUTM Y

648,264.52

4,208,471.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****016579**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/07/01TOWNSHIPRANGESECTIONELEVATION:

804FT

DRILL DEPTH: 58FT

38N

4W

13

DEPTH TO BED:UTM XUTM Y

648,264.52

4,208,471.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****020862**WELL TYPE

Private Well

DRILL DATE: 1961/06/01TOWNSHIPRANGESECTIONELEVATION:

718FT

DRILL DEPTH: 125FT

38N

4W

13

DEPTH TO BED: 35FTUTM XUTM Y

647,665.50

4,209,065.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 6 MI E OF STEELVILLE ON MERAMEC RIVERS.W.L. (AFTER CASING): 40**LOG ID:****015903**WELL TYPE

Private Well

DRILL DATE: 1956/07/01TOWNSHIPRANGESECTIONELEVATION:

757FT

DRILL DEPTH: 224FT

38N

4W

14

DEPTH TO BED: 25FTUTM XUTM Y

645,950.47

4,208,185.38

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 180



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007508

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1941/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	823FT
<u>DRILL DEPTH:</u>	164FT	38N	4W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				644,723.43	4,208,795.39
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ON MERAMEC RIVER BELOW BIRDS NEST LODGE (READER PLACE)			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
020177

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	880FT
<u>DRILL DEPTH:</u>	210FT	38N	4W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				642,696.40	4,207,757.33
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	BIRDS NEST RD, 1.5 MI OFF HWY 19			
<u>S.W.L. (AFTER CASING):</u>	160					

LOG ID:
004944

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1938/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	912FT
<u>DRILL DEPTH:</u>	240FT	38N	4W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				642,083.38	4,207,972.33
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
010884

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1949/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	758FT
<u>DRILL DEPTH:</u>	129FT	38N	4W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				641,083.36	4,207,972.33
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014440**WELL TYPE

Private Well

DRILL DATE: 1955/11/01TOWNSHIP RANGE SECTION

38N

4W

17

ELEVATION: 963FTDRILL DEPTH: 270FTUTM X UTM YDEPTH TO BED: 215FT641,583.35 4,208,976.37
ZONE 15S.W.L. (BEFORE CASING):REMARKS: WHAT IS A ROLLA CREEK??S.W.L. (AFTER CASING):**LOG ID:****015231**WELL TYPE

Private Well

DRILL DATE: 1956/07/01TOWNSHIP RANGE SECTION

38N

4W

17

ELEVATION: 902FTDRILL DEPTH: 163FTUTM X UTM YDEPTH TO BED: 130FT641,883.36 4,209,178.38
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****015896**WELL TYPE

Private Well

DRILL DATE: 1956/07/01TOWNSHIP RANGE SECTION

38N

4W

17

ELEVATION: 910FTDRILL DEPTH: 135FTUTM X UTM YDEPTH TO BED: 100FT642,283.37 4,208,976.37
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 95**LOG ID:****020157**WELL TYPE

Private Well

DRILL DATE: 1961/08/01TOWNSHIP RANGE SECTION

38N

4W

17

ELEVATION: 962FTDRILL DEPTH: 235FTUTM X UTM YDEPTH TO BED: 75FT641,683.36 4,208,976.37
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 180



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020863**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

964FT

DRILL DEPTH:

300FT

38N

4W

17

DEPTH TO BED:

95FT

UTM XUTM Y

641,683.36

4,208,976.37

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

3 MI S OF CUBA ON HWY 19

S.W.L. (AFTER CASING):

170

LOG ID:**006244**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

715FT

DRILL DEPTH:

42FT

38N

4W

18

DEPTH TO BED:

10FT

UTM XUTM Y

639,574.32

4,207,671.30

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

CLUBHOUSE OM MERAMEC RIVER, 1.5 MI ABOVE IDLEWILD

S.W.L. (AFTER CASING):**LOG ID:****020176**WELL TYPE

Private Well

DRILL DATE:

1960/09/16

TOWNSHIPRANGESECTIONELEVATION:

819FT

DRILL DEPTH:

140FT

38N

4W

2

DEPTH TO BED:

50FT

UTM XUTM Y

645,948.42

4,211,610.50

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

5 MI E OF CUBA

S.W.L. (AFTER CASING):

55

LOG ID:**006255**WELL TYPE

Private Well

DRILL DATE:

1940/07/01

TOWNSHIPRANGESECTIONELEVATION:

857FT

DRILL DEPTH:

160FT

38N

4W

21

DEPTH TO BED:

60FT

UTM XUTM Y

642,789.42

4,206,252.29

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

128



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007814

WELL TYPE
Private Well

DRILL DATE: 1942/00/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

740FT

DRILL DEPTH: 142FT

38N

4W

21

DEPTH TO BED: 30FT

UTM X

UTM Y

643,989.45

4,206,252.30

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
008213

WELL TYPE
Private Well

DRILL DATE: 1942/00/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

860FT

DRILL DEPTH: 175FT

38N

4W

21

DEPTH TO BED: 60FT

UTM X

UTM Y

642,689.41

4,206,966.31

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 120

LOG ID:
006246

WELL TYPE
Private Well

DRILL DATE: 1940/08/07

TOWNSHIP

RANGE

SECTION

ELEVATION:

757FT

DRILL DEPTH: 110FT

38N

4W

22

DEPTH TO BED: 20FT

UTM X

UTM Y

644,921.45

4,207,388.34

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: MAY BE IN NE NE SW SEC. 22

S.W.L. (AFTER CASING): 67

LOG ID:
007502

WELL TYPE
Private Well

DRILL DATE: 1941/00/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

DRILL DEPTH: 53FT

38N

4W

22

DEPTH TO BED: 6FT

UTM X

UTM Y

645,321.47

4,206,972.33

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 20



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008211**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIPRANGESECTIONELEVATION:

895FT

DRILL DEPTH: 257FT

38N

4W

23

DEPTH TO BED: 40FTUTM XUTM Y

645,957.48

4,207,380.35

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI S OF MERAMEC RIVER, 3 MI E OF STEELVILLES.W.L. (AFTER CASING): 210**LOG ID:****003196**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

926FT

DRILL DEPTH: 150FT

38N

4W

25

DEPTH TO BED: 5FTUTM XUTM Y

648,853.58

4,204,682.32

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3 MI E OF STEELVILLE - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****013578**WELL TYPE

Private Well

DRILL DATE: 1955/05/01TOWNSHIPRANGESECTIONELEVATION:

917FT

DRILL DEPTH: 275FT

38N

4W

25

DEPTH TO BED: 180FTUTM XUTM Y

648,353.57

4,204,783.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPEMED 180-275'; 2 MI E OF STEELVILLE ON HWY 8S.W.L. (AFTER CASING): 175**LOG ID:****013900**WELL TYPE

Private Well

DRILL DATE: 1955/05/13TOWNSHIPRANGESECTIONELEVATION:

890FT

DRILL DEPTH: 260FT

38N

4W

25

DEPTH TO BED: 95FTUTM XUTM Y

647,953.56

4,204,783.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 150



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015426**WELL TYPE

Private Well

DRILL DATE: 1956/08/20TOWNSHIPRANGESECTIONELEVATION:

946FT

DRILL DEPTH: 173FT

38N

4W

25

DEPTH TO BED: 60FTUTM XUTM Y

649,041.58

4,204,701.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 75**LOG ID:****016891**WELL TYPE

Private Well

DRILL DATE: 1957/11/01TOWNSHIPRANGESECTIONELEVATION:

909FT

DRILL DEPTH: 167FT

38N

4W

25

DEPTH TO BED: 65FTUTM XUTM Y

648,553.57

4,204,783.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI E OF STEELVILLE ON HWY 8S.W.L. (AFTER CASING): 95**LOG ID:****017002**WELL TYPE

Private Well

DRILL DATE: 1957/08/01TOWNSHIPRANGESECTIONELEVATION:

921FT

DRILL DEPTH: 240FT

38N

4W

25

DEPTH TO BED: 165FTUTM XUTM Y

648,153.56

4,204,783.32

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPEMED 165-240'; 2 MI E OF STEELVILLE ON HWY 8S.W.L. (AFTER CASING):**LOG ID:****019198**WELL TYPE

Private Well

DRILL DATE: 1960/07/02TOWNSHIPRANGESECTIONELEVATION:

901FT

DRILL DEPTH: 227FT

38N

4W

25

DEPTH TO BED: 75FTUTM XUTM Y

648,853.58

4,204,682.32

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006257**WELL TYPE

Private Well

DRILL DATE: 1940/03/01TOWNSHIPRANGESECTIONELEVATION:

866FT

DRILL DEPTH: 230FT

38N

4W

26

DEPTH TO BED:UTM XUTM Y

646,740.53

4,204,965.31

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI E OF STEELVILLE NEAR HWY 8S.W.L. (AFTER CASING): 170**LOG ID:****013918**WELL TYPE

Private Well

DRILL DATE: 1955/05/01TOWNSHIPRANGESECTIONELEVATION:

866FT

DRILL DEPTH: 185FT

38N

4W

26

DEPTH TO BED: 125FTUTM XUTM Y

646,540.52

4,205,167.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****023926**WELL TYPE

Private Well

DRILL DATE: 1965/10/01TOWNSHIPRANGESECTIONELEVATION:

970FT

DRILL DEPTH: 365FT

38N

4W

26

DEPTH TO BED: 105FTUTM XUTM Y

646,940.52

4,205,975.33

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****007501**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

745FT

DRILL DEPTH: 95FT

38N

4W

27

DEPTH TO BED: 20FTUTM XUTM Y

645,720.50

4,204,950.30

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002641**WELL TYPE

Private Well

DRILL DATE: 1932/09/01TOWNSHIP RANGE SECTION

38N

4W

28

ELEVATION: 710FTDRILL DEPTH: 100FTUTM X UTM YDEPTH TO BED: 20FT642,716.43 4,205,137.27
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 1 MI FROM STEELVILLE ON S SIDE MERAMEC RIVERS.W.L. (AFTER CASING):**LOG ID:****011007**WELL TYPE

Private Well

DRILL DATE: 1947/00/00TOWNSHIP RANGE SECTION

38N

4W

28

ELEVATION: 843FTDRILL DEPTH: 156FTUTM X UTM YDEPTH TO BED: 30FT642,916.43 4,205,753.28
ZONE 15S.W.L. (BEFORE CASING):REMARKS: ON HWY 19, 0.5 MI N OF MORRNE BRIDGES.W.L. (AFTER CASING):**LOG ID:****024192**WELL TYPE

Private Well

DRILL DATE: 1966/03/01TOWNSHIP RANGE SECTION

38N

4W

28

ELEVATION: 778FTDRILL DEPTH: 130FTUTM X UTM YDEPTH TO BED: 55FT643,316.44 4,205,343.28
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****007156**WELL TYPE

Private Well

DRILL DATE: 1940/09/01TOWNSHIP RANGE SECTION

38N

4W

29

ELEVATION: 812FTDRILL DEPTH: 171FTUTM X UTM YDEPTH TO BED:642,094.41 4,205,549.27
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: "LELLA (B) RANCH ON MERAMEC "S.W.L. (AFTER CASING): 120



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007853

WELL TYPE
Private Well

DRILL DATE: 1942/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 958FT

DRILL DEPTH: 320FT

38N 4W 30

DEPTH TO BED: 135FT

UTM X UTM Y
639,578.36 4,204,676.23
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:
020172

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 962FT

DRILL DEPTH: 230FT

38N 4W 30

DEPTH TO BED: 70FT

UTM X UTM Y
639,578.36 4,204,902.24
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: HWY TT, 3 MI E OF STEELVILLE

S.W.L. (AFTER CASING): 190

LOG ID:
011011

WELL TYPE
Private Well

DRILL DATE: 1947/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 945FT

DRILL DEPTH: 288FT

38N 4W 31

DEPTH TO BED: 60FT

UTM X UTM Y
639,988.38 4,203,978.22
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 240

LOG ID:
015230

WELL TYPE
Private Well

DRILL DATE: 1956/06/01

TOWNSHIP RANGE SECTION

ELEVATION: 859FT

DRILL DEPTH: 245FT

38N 4W 32

DEPTH TO BED: 140FT

UTM X UTM Y
641,505.43 4,203,328.22
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: OLD WELL DEEPENED 140-245'

S.W.L. (AFTER CASING): 190



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
017923

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	995FT
<u>DRILL DEPTH:</u>	242FT	38N	4W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT				641,105.42	4,203,124.22
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	185	<u>REMARKS:</u>	3 MI W OF STEELVILLE ON HWY 8			

LOG ID:
020170

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	796FT
<u>DRILL DEPTH:</u>	150FT	38N	4W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				642,505.44	4,204,138.25
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	82	<u>REMARKS:</u>	0.5 MI N OF STEELVILLE CITY LIMITS ON HWY 19			

LOG ID:
011090

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1949/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	780FT
<u>DRILL DEPTH:</u>	535FT	38N	4W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				643,527.47	4,203,545.25
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	41	<u>REMARKS:</u>	LOST BAILER @ 535', HOLE ABANDONED			

LOG ID:
002637

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1932/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	746FT
<u>DRILL DEPTH:</u>	125FT	38N	4W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				644,319.49	4,203,553.26
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	10	<u>REMARKS:</u>	STEELVILLE			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002983**WELL TYPE

Community Public Well

DRILL DATE: 1934/09/01TOWNSHIPRANGESECTIONELEVATION:

757FT

DRILL DEPTH: 1,320FT

38N

4W

34

DEPTH TO BED: 15FTUTM XUTM Y

644,532.50

4,203,375.25

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "PWA PROJECT" - Driller's Log AttachedS.W.L. (AFTER CASING): 9**LOG ID:****010900**WELL TYPE

Private Well

DRILL DATE: 1948/00/00TOWNSHIPRANGESECTIONELEVATION:

732FT

DRILL DEPTH: 63FT

38N

4W

34

DEPTH TO BED: 25FTUTM XUTM Y

645,518.51

4,203,751.27

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****011010**WELL TYPE

Private Well

DRILL DATE: 1947/06/24TOWNSHIPRANGESECTIONELEVATION:

752FT

DRILL DEPTH: 68FT

38N

4W

34

DEPTH TO BED: 25FTUTM XUTM Y

645,118.51

4,203,751.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ABT 0.75 MI E OF STEELVILLE, N OF HWY 8 IN VALLEY FLOORS.W.L. (AFTER CASING): 10**LOG ID:****011215**WELL TYPE

Community Public Well

DRILL DATE: 1950/01/01TOWNSHIPRANGESECTIONELEVATION:

744FT

DRILL DEPTH: 660FT

38N

4W

34

DEPTH TO BED: 40FTUTM XUTM Y

644,819.50

4,203,652.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 6

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028365**WELL TYPE

Community Public Well

DRILL DATE: 1980/04/14TOWNSHIP RANGE SECTIONELEVATION: 900FTDRILL DEPTH: 900FT

38N 4W 34

DEPTH TO BED: 35FTUTM X UTM Y
644,647.49 4,204,343.27
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****006247**WELL TYPE

Private Well

DRILL DATE: 1940/00/00TOWNSHIP RANGE SECTIONELEVATION: 755FTDRILL DEPTH: 94FT

38N 4W 35

DEPTH TO BED: 20FTUTM X UTM Y
646,126.52 4,204,376.29
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1 MI E OF STEELVILLE ON HWY 8S.W.L. (AFTER CASING): 45**LOG ID:****017664**WELL TYPE

Private Well

DRILL DATE: 1958/10/01TOWNSHIP RANGE SECTIONELEVATION: 944FTDRILL DEPTH: 155FT

38N 4W 36

DEPTH TO BED: 90FTUTM X UTM Y
648,941.59 4,204,388.32
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 5 MI E OF STEELVILLE ON HWY 8S.W.L. (AFTER CASING): 85**LOG ID:****024193**WELL TYPE

Private Well

DRILL DATE: 1966/04/01TOWNSHIP RANGE SECTIONELEVATION: 986FTDRILL DEPTH: 160FT

38N 4W 36

DEPTH TO BED: 90FTUTM X UTM Y
648,941.59 4,204,184.31
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 5 MI E OF STEELVILLE, 0.75 MI S OF HWY 8S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
003245

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1935/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,023FT
<u>DRILL DEPTH:</u>	324FT	38N	4W	5		
<u>DEPTH TO BED:</u>	5FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				641,316.31	4,211,790.46
<u>S.W.L. (AFTER CASING):</u>	199				ZONE 15	
<u>REMARKS:</u>						

LOG ID:
007940

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1942/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,023FT
<u>DRILL DEPTH:</u>	210FT	38N	4W	5		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				641,216.30	4,212,298.48
<u>S.W.L. (AFTER CASING):</u>	175				ZONE 15	
<u>REMARKS:</u> 1 MI S OF CUBA, 0.5 MI E OF HWY 19						

LOG ID:
013942

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/08/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,004FT
<u>DRILL DEPTH:</u>	257FT	38N	4W	5		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				641,516.32	4,211,586.46
<u>S.W.L. (AFTER CASING):</u>	220				ZONE 15	
<u>REMARKS:</u> 1.5 MI S OF CUBA ON HWY 19						

LOG ID:
008214

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1942/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,038FT
<u>DRILL DEPTH:</u>	285FT	38N	4W	6		
<u>DEPTH TO BED:</u>	100FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				640,601.28	4,212,482.48
<u>S.W.L. (AFTER CASING):</u>	230				ZONE 15	
<u>REMARKS:</u> 1 MI S OF CUBA, JUST E OF HWY 19 ON OLD RD						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016650**WELL TYPE

Private Well

DRILL DATE: 1957/08/01 TOWNSHIP 38N RANGE 4W SECTION 6 ELEVATION: 952FT
DRILL DEPTH: 210FT
DEPTH TO BED: 70FT UTM X 640,401.29 UTM Y 4,211,326.44
S.W.L. (BEFORE CASING): FT ZONE 15
REMARKS: 2 MI S OF CUBA
S.W.L. (AFTER CASING): 169

LOG ID:**017647**WELL TYPE

Private Well

DRILL DATE: 1958/10/01 TOWNSHIP 38N RANGE 4W SECTION 6 ELEVATION: 1,004FT
DRILL DEPTH: 315FT
DEPTH TO BED: UTM X 640,701.30 UTM Y 4,211,558.45
S.W.L. (BEFORE CASING): ZONE 15
REMARKS: S OF CUBA ON HWY 19, RT ON HWY O, FIRST HOUSE
S.W.L. (AFTER CASING):

LOG ID:**022917**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 38N RANGE 4W SECTION 6 ELEVATION: 984FT
DRILL DEPTH: 250FT
DEPTH TO BED: UTM X 640,701.30 UTM Y 4,211,558.45
S.W.L. (BEFORE CASING): FT ZONE 15
REMARKS:
S.W.L. (AFTER CASING): 150

LOG ID:**024194**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1966/02/01 TOWNSHIP 38N RANGE 4W SECTION 6 ELEVATION: 1,049FT
DRILL DEPTH: 300FT
DEPTH TO BED: 100FT UTM X 640,801.29 UTM Y 4,212,482.48
S.W.L. (BEFORE CASING): ZONE 15
REMARKS: 1 MI S OF CUBA ON HWY 19
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024650**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1966/10/01TOWNSHIPRANGESECTIONELEVATION:

1,042FT

DRILL DEPTH: 550FT

38N

4W

6

DEPTH TO BED: 100FTUTM XUTM Y

640,801.29

4,212,482.48

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****015289**WELL TYPE

Private Well

DRILL DATE: 1956/07/01TOWNSHIPRANGESECTIONELEVATION:

949FT

DRILL DEPTH: 235FT

38N

4W

7

DEPTH TO BED: 70FTUTM XUTM Y

640,601.30

4,210,864.42

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 155**LOG ID:****017005**WELL TYPE

Private Well

DRILL DATE: 1958/01/17TOWNSHIPRANGESECTIONELEVATION:

961FT

DRILL DEPTH: 255FT

38N

4W

7

DEPTH TO BED: 60FTUTM XUTM Y

639,788.30

4,209,730.38

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: S OF CUBA ON HWY 19 TO HWY O, THEN 2 MI ON OS.W.L. (AFTER CASING): 205**LOG ID:****022955**WELL TYPE

Private Well

DRILL DATE: 1964/06/01TOWNSHIPRANGESECTIONELEVATION:

944FT

DRILL DEPTH: 210FT

38N

4W

7

DEPTH TO BED: 65FTUTM XUTM Y

640,288.30

4,210,410.40

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI S OF CUBA ON HWY O, E SD OF HWYS.W.L. (AFTER CASING): 110



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023580**WELL TYPE

Private Well

DRILL DATE: 1965/04/01TOWNSHIPRANGESECTIONELEVATION:

899FT

DRILL DEPTH: 185FT

38N

4W

7

DEPTH TO BED: 80FTUTM XUTM Y

640,088.30

4,210,070.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "CAN'T LOCATE"S.W.L. (AFTER CASING): 90**LOG ID:****024775**WELL TYPE

Private Well

DRILL DATE: 1966/08/01TOWNSHIPRANGESECTIONELEVATION:

936FT

DRILL DEPTH: 215FT

38N

4W

7

DEPTH TO BED: 15FTUTM XUTM Y

640,688.31

4,210,749.42

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: S OF CUBA ON HWY O; MUD SEAM AT 120'S.W.L. (AFTER CASING): 120**LOG ID:****024996**WELL TYPE

Private Well

DRILL DATE: 1967/01/01TOWNSHIPRANGESECTIONELEVATION:

956FT

DRILL DEPTH: 230FT

38N

4W

7

DEPTH TO BED: 105FTUTM XUTM Y

640,588.30

4,210,862.42

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI S OF CUBA ON HWY OS.W.L. (AFTER CASING):**LOG ID:****002634**WELL TYPE

Private Well

DRILL DATE: 1932/09/01TOWNSHIPRANGESECTIONELEVATION:

970FT

DRILL DEPTH: 250FT

38N

4W

8

DEPTH TO BED: 20FTUTM XUTM Y

641,501.35

4,209,379.38

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON HWY 19 BETWEEN CUBA & STEELVILLES.W.L. (AFTER CASING): 175



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002701**WELL TYPE

Private Well

DRILL DATE: 1933/03/01TOWNSHIPRANGESECTIONELEVATION:

976FT

DRILL DEPTH: 215FT

38N

4W

8

DEPTH TO BED: 125FTUTM XUTM Y

641,301.34

4,209,781.39

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****013971**WELL TYPE

Private Well

DRILL DATE: 1955/00/00TOWNSHIPRANGESECTIONELEVATION:

980FT

DRILL DEPTH: 255FT

38N

4W

8

DEPTH TO BED: 65FTUTM XUTM Y

641,301.34

4,209,379.38

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 195**LOG ID:****016301**WELL TYPE

Private Well

DRILL DATE: 1957/06/01TOWNSHIPRANGESECTIONELEVATION:

976FT

DRILL DEPTH: 230FT

38N

4W

8

DEPTH TO BED: 75FTUTM XUTM Y

641,501.34

4,209,781.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 170**LOG ID:****018130**WELL TYPE

Private Well

DRILL DATE: 1959/05/01TOWNSHIPRANGESECTIONELEVATION:

961FT

DRILL DEPTH: 218FT

38N

4W

8

DEPTH TO BED: 65FTUTM XUTM Y

641,701.35

4,209,781.40

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON HWY 19 HALF WAY BETWEEN CUBA AND STEELVILLES.W.L. (AFTER CASING): 135



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020142**WELL TYPE

Private Well

DRILL DATE: 1961/00/00TOWNSHIPRANGESECTIONELEVATION:

960FT

DRILL DEPTH: 228FT

38N

4W

8

DEPTH TO BED: 105FTUTM XUTM Y

641,501.33

4,210,385.42

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON HWY 19, 2 MI S OF CUBA AIRPORTS.W.L. (AFTER CASING): 160**LOG ID:****022835**WELL TYPE

Private Well

DRILL DATE: 1964/04/01TOWNSHIPRANGESECTIONELEVATION:

929FT

DRILL DEPTH: 220FT

38N

4W

8

DEPTH TO BED: 70FTUTM XUTM Y

641,701.33

4,210,585.42

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI S OF CUBAS.W.L. (AFTER CASING): 150**LOG ID:****026121**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

804FT

DRILL DEPTH: 155FT

38N

4W

8

DEPTH TO BED: 65FTUTM XUTM Y

642,501.36

4,209,983.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO SAMPLES LOGGED, TOPS ONLYS.W.L. (AFTER CASING):**LOG ID:****018131**WELL TYPE

Private Well

DRILL DATE: 1959/04/01TOWNSHIPRANGESECTIONELEVATION:

955FT

DRILL DEPTH: 211FT

38N

4W

9

DEPTH TO BED: 55FTUTM XUTM Y

643,512.37

4,210,799.45

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 150

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023533

WELL TYPE
Private Well

DRILL DATE: 1965/06/04

TOWNSHIP RANGE SECTION

ELEVATION: 966FT

DRILL DEPTH: 320FT

38N 5W 1

DEPTH TO BED:

UTM X UTM Y
638,572.23 4,212,394.46
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
017784

WELL TYPE
Private Well

DRILL DATE: 1958/09/15

TOWNSHIP RANGE SECTION

ELEVATION: 983FT

DRILL DEPTH: 150FT

38N 5W 10

DEPTH TO BED: 80FT

UTM X UTM Y
635,798.21 4,209,267.32
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 2.75 MI SW OF CUBA

S.W.L. (AFTER CASING): 85

LOG ID:
002633

WELL TYPE
Private Well

DRILL DATE: 1932/08/00

TOWNSHIP RANGE SECTION

ELEVATION: 1,038FT

DRILL DEPTH: 200FT

38N 5W 11

DEPTH TO BED: 15FT

UTM X UTM Y
636,134.20 4,210,738.38
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: DRILLER'S LOG ONLY

S.W.L. (AFTER CASING): 100

LOG ID:
004011

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1936/10/01

TOWNSHIP RANGE SECTION

ELEVATION: 929FT

DRILL DEPTH: 25FT

38N 5W 13

DEPTH TO BED:

UTM X UTM Y
638,360.28 4,208,428.32
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: TEST HOLE IN OLD CARD OR COX MINE; BROWN IRON ORE

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004012**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1936/08/01TOWNSHIPRANGESECTIONELEVATION:

929FT

DRILL DEPTH: 41FT

38N

5W

13

UTM XUTM YDEPTH TO BED:

638,360.28

4,208,428.32

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: MEYERS LEASE - PYRITE PROSPECT HOLE - CARD MINES.W.L. (AFTER CASING):**LOG ID:****011369**WELL TYPE

Private Well

DRILL DATE: 1949/00/00TOWNSHIPRANGESECTIONELEVATION:

812FT

DRILL DEPTH: 144FT

38N

5W

13

UTM XUTM YDEPTH TO BED: 30FT

639,060.31

4,207,729.30

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: MERAMEC RIVER & CUBA RAILRAODS.W.L. (AFTER CASING): 98**LOG ID:****004517**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1937/10/27TOWNSHIPRANGESECTIONELEVATION:

800FT

DRILL DEPTH: 203FT

38N

5W

15

UTM XUTM YDEPTH TO BED: 5FT

635,307.22

4,208,002.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: MRS. C.L. FOXS.W.L. (AFTER CASING): 45**LOG ID:****008860**WELL TYPE

Private Well

DRILL DATE: 1943/00/00TOWNSHIPRANGESECTIONELEVATION:

806FT

DRILL DEPTH: 325FT

38N

5W

15

UTM XUTM YDEPTH TO BED: 60FT

635,020.21

4,207,855.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 125

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028935**WELL TYPE

Noncommunity Public Well

DRILL DATE: 2002/04/ TOWNSHIP 38N RANGE 5W SECTION 15 ELEVATION: 840FT
DRILL DEPTH: 450FT UTM X 635,120.21 UTM Y 4,208,368.28
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): 63 REMARKS:
S.W.L. (AFTER CASING): FT

LOG ID:**019524**WELL TYPE

Private Well

DRILL DATE: 1960/09/01 TOWNSHIP 38N RANGE 5W SECTION 2 ELEVATION: 1,019FT
DRILL DEPTH: 250FT UTM X 636,227.20 UTM Y 4,210,917.38
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 MI W OF CUBA, E-BD LANE OF HWY 66
S.W.L. (AFTER CASING): 200

LOG ID:**002258**WELL TYPE

Private Well

DRILL DATE: 1929/07/01 TOWNSHIP 38N RANGE 5W SECTION 21 ELEVATION: 795FT
DRILL DEPTH: 159FT UTM X 633,611.20 UTM Y 4,206,618.21
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**002741**WELL TYPE

Private Well

DRILL DATE: 1933/07/00 TOWNSHIP 38N RANGE 5W SECTION 21 ELEVATION: 787FT
DRILL DEPTH: 200FT UTM X 633,611.20 UTM Y 4,206,618.21
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004707**WELL TYPE

Private Well

DRILL DATE: 1938/04/01TOWNSHIP RANGE SECTIONELEVATION: 795FTDRILL DEPTH: 408FT

38N 5W 21

DEPTH TO BED: 20FTUTM X UTM Y
633,611.20 4,206,618.21
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: ARTHUR ALTAVATER (#1 =#2258)S.W.L. (AFTER CASING): 30**LOG ID:****011382**WELL TYPE

Private Well

DRILL DATE: 1949/00/00TOWNSHIP RANGE SECTIONELEVATION: 868FTDRILL DEPTH: 296FT

38N 5W 21

DEPTH TO BED: 70FTUTM X UTM Y
634,011.21 4,206,416.21
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of D. Portnoy - S of Fanning on Meramec RiverS.W.L. (AFTER CASING): 22**LOG ID:****010899**WELL TYPE

Private Well

DRILL DATE: 1948/12/01TOWNSHIP RANGE SECTIONELEVATION: 898FTDRILL DEPTH: 190FT

38N 5W 22

DEPTH TO BED: 50FTUTM X UTM Y
635,331.24 4,206,554.23
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 145**LOG ID:****005021**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1938/09/01TOWNSHIP RANGE SECTIONELEVATION: 873FTDRILL DEPTH: 87FT

38N 5W 23

DEPTH TO BED: 45FTUTM X UTM Y
636,751.27 4,206,791.25
ZONE 15S.W.L. (BEFORE CASING):REMARKS: MERAMEC RIVER S OF IRON CENTER SCHOOL; LOCATION
QUESTIONABLES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006248**WELL TYPE

Private Well

DRILL DATE: 1940/06/01TOWNSHIPRANGESECTIONELEVATION:

845FT

DRILL DEPTH: 156FT

38N

5W

25

DEPTH TO BED: 10FTUTM XUTM Y

638,569.34

4,205,016.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: MERAMEC RIVER W OF PEACEFUL BEND SCHOOLS.W.L. (AFTER CASING): 126**LOG ID:****019197**WELL TYPE

Private Well

DRILL DATE: 1959/11/21TOWNSHIPRANGESECTIONELEVATION:

935FT

DRILL DEPTH: 250FT

38N

5W

25

DEPTH TO BED: 60FTUTM XUTM Y

639,069.34

4,205,317.24

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****002636**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1932/09/01TOWNSHIPRANGESECTIONELEVATION:

862FT

DRILL DEPTH: 145FT

38N

5W

26

DEPTH TO BED: 30FTUTM XUTM Y

636,654.29

4,205,483.22

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: HENNESSY, ET AL.S.W.L. (AFTER CASING):**LOG ID:****015241**WELL TYPE

Private Well

DRILL DATE: 1956/06/01TOWNSHIPRANGESECTIONELEVATION:

788FT

DRILL DEPTH: 140FT

38N

5W

26

DEPTH TO BED: 70FTUTM XUTM Y

636,854.29

4,205,786.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 60



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015894**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1956/07/01TOWNSHIPRANGESECTIONELEVATION:

846FT

DRILL DEPTH: 201FT

38N

5W

26

DEPTH TO BED: 60FTUTM XUTM Y

636,654.28

4,205,685.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 135**LOG ID:****002257**WELL TYPE

Private Well

DRILL DATE: 1929/07/01TOWNSHIPRANGESECTIONELEVATION:

880FT

DRILL DEPTH: 160FT

38N

5W

27

DEPTH TO BED: 40FTUTM XUTM Y

634,939.24

4,205,754.21

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****002233**WELL TYPE

Private Well

DRILL DATE: 1928/11/01TOWNSHIPRANGESECTIONELEVATION:

1,057FT

DRILL DEPTH: 130FT

38N

5W

3

DEPTH TO BED:UTM XUTM Y

634,485.16

4,210,972.37

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: QUESTIONABLE FORMATIONSS.W.L. (AFTER CASING): 100**LOG ID:****005432**WELL TYPE

Private Well

DRILL DATE: 1939/05/01TOWNSHIPRANGESECTIONELEVATION:

1,045FT

DRILL DEPTH: 155FT

38N

5W

3

DEPTH TO BED: 105FTUTM XUTM Y

635,185.17

4,211,283.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Driller's Log AttachedS.W.L. (AFTER CASING): 65



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025057**WELL TYPE

Private Well

DRILL DATE: 1967/02/23TOWNSHIPRANGESECTIONELEVATION:

1,055FT

DRILL DEPTH: 215FT

38N

5W

3

DEPTH TO BED: 140FTUTM XUTM Y

634,385.15

4,211,075.37

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****004161**WELL TYPE

Private Well

DRILL DATE: 1937/00/00TOWNSHIPRANGESECTIONELEVATION:

791FT

DRILL DEPTH: 145FT

38N

5W

34

DEPTH TO BED: 15FTUTM XUTM Y

635,245.27

4,204,250.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 7-8 MI W OF STEELVILLE, "NEAR W.K. WOODS WELL" (#4169)S.W.L. (AFTER CASING):**LOG ID:****004169**WELL TYPE

Private Well

DRILL DATE: 1937/02/28TOWNSHIPRANGESECTIONELEVATION:

938FT

DRILL DEPTH: 300FT

38N

5W

34

DEPTH TO BED: 15FTUTM XUTM Y

634,545.27

4,202,832.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 7-8 MI W OF STEELVILLE ON HWY 8; CHAUMIERE FARM #2S.W.L. (AFTER CASING): 141**LOG ID:****002638**WELL TYPE

Private Well

DRILL DATE: 1932/09/01TOWNSHIPRANGESECTIONELEVATION:

903FT

DRILL DEPTH: 180FT

38N

5W

35

DEPTH TO BED: 20FTUTM XUTM Y

636,258.30

4,204,073.19

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005450

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1938/11/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,080FT
<u>DRILL DEPTH:</u>	151FT	38N	5W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	95FT				634,158.14	4,211,661.39
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	80	<u>REMARKS:</u>	0.25 MI N OF FANNING			

LOG ID:
022966

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1964/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,044FT
<u>DRILL DEPTH:</u>	240FT	38N	5W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	195FT				633,558.13	4,211,051.36
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	120	<u>REMARKS:</u>	4 MI W OF CUBA, S OF OLD HWY 66			

LOG ID:
027882

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1975/01/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,045FT
<u>DRILL DEPTH:</u>	230FT	38N	5W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				633,358.12	4,211,457.37
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	3 MI E OF ROSATI ON OLD HWY 66			

LOG ID:
021755

WELL TYPE
Industrial High Capacity Well

<u>DRILL DATE:</u>	1963/07/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,172FT
<u>DRILL DEPTH:</u>	555FT	38N	5W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	105FT				630,295.09	4,211,379.35
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025666**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,122FT

DRILL DEPTH:

255FT

38N

5W

6

UTM XUTM YDEPTH TO BED:

65FT

629,695.10

4,210,965.33

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NE OF RADIO TOWER NEAR ROSATI

S.W.L. (AFTER CASING):**LOG ID:****017663**WELL TYPE

Private Well

DRILL DATE:

1958/00/00

TOWNSHIPRANGESECTIONELEVATION:

917FT

DRILL DEPTH:

127FT

38N

5W

8

UTM XUTM YDEPTH TO BED:

30FT

631,159.11

4,209,597.29

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****010412**WELL TYPE

Private Well

DRILL DATE:

1948/08/27

TOWNSHIPRANGESECTIONELEVATION:

720FT

DRILL DEPTH:

150FT

39N

2W

14

UTM XUTM YDEPTH TO BED:

665,017.50

4,217,680.83

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

BRAZIL CREEK, 1 MI FROM MERAMEC RIVER; JUNIPER HILLS

S.W.L. (AFTER CASING):

90

LOG ID:**005494**WELL TYPE

Private Well

DRILL DATE:

1939/00/00

TOWNSHIPRANGESECTIONELEVATION:

636FT

DRILL DEPTH:

105FT

39N

2W

15

UTM XUTM YDEPTH TO BED:

35FT

663,435.50

4,218,232.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

10 MI E OF BOURBON NEAR VILANDER SCHOOL

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010379**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	737FT
<u>DRILL DEPTH:</u>	165FT	39N	2W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				663,635.50	4,218,034.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 1.5 MI NE OF HWY M, NEAR MERAMEC RIVER				
<u>S.W.L. (AFTER CASING):</u>	110					

LOG ID:**010409**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	678FT
<u>DRILL DEPTH:</u>	135FT	39N	2W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				662,438.51	4,217,563.82
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	75					

LOG ID:**014644**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/06/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	860FT
<u>DRILL DEPTH:</u>	260FT	39N	2W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				658,834.53	4,216,256.76
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	115					

LOG ID:**014998**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	642FT
<u>DRILL DEPTH:</u>		39N	2W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				664,718.42	4,223,973.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> NO SAMPLES BELOW 300, TOTAL DEPTH NOT GIVEN				
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028106

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 794FT
39N 2W 20
DRILL DEPTH: 200FT UTM X UTM Y
DEPTH TO BED: 15FT 661,038.52 4,216,437.77
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:
012707

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1953/09/19 TOWNSHIP RANGE SECTION ELEVATION: 896FT
39N 2W 22
DRILL DEPTH: 220FT UTM X UTM Y
DEPTH TO BED: 40FT 664,311.52 4,216,242.78
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: HWY U
S.W.L. (AFTER CASING): 195

LOG ID:
008511

WELL TYPE
Private Well

DRILL DATE: 1944/01/10 TOWNSHIP RANGE SECTION ELEVATION: 770FT
39N 2W 26
DRILL DEPTH: 295FT UTM X UTM Y
DEPTH TO BED: 10FT 665,970.53 4,215,458.75
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 60

LOG ID:
008093

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/02/03 TOWNSHIP RANGE SECTION ELEVATION: 824FT
39N 2W 28
DRILL DEPTH: 129FT UTM X UTM Y
DEPTH TO BED: 120FT 662,573.54 4,214,788.72
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: NW EDGE OF UPPER CUT, OUTSIDE OF OPEN PIT
S.W.L. (AFTER CASING): 105



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008094**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/02/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	807FT
<u>DRILL DEPTH:</u>	80FT	39N	2W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				662,573.54	4,214,788.72
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	150' NW OF HOLE #S-1			
<u>S.W.L. (AFTER CASING):</u>	78					

LOG ID:**008096**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/02/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	772FT
<u>DRILL DEPTH:</u>	68FT	39N	2W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					662,273.54	4,214,884.72
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	IRON PROSPECT; BETWEEN S-1 & S-2, 100' W			
<u>S.W.L. (AFTER CASING):</u>	65					

LOG ID:**008097**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/02/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	759FT
<u>DRILL DEPTH:</u>	84FT	39N	2W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				662,573.54	4,214,788.72
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	SW EDGE OF LOWER PIT, 160' NW OF #S-2			
<u>S.W.L. (AFTER CASING):</u>	40					

LOG ID:**009359**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1946/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	764FT
<u>DRILL DEPTH:</u>	38FT	39N	2W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					662,273.54	4,214,884.72
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009360**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/12/01TOWNSHIPRANGESECTIONELEVATION:

764FT

DRILL DEPTH: 33FT

39N

2W

28

DEPTH TO BED: 22FTUTM XUTM Y

662,273.54

4,214,884.72

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****009361**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/12/01TOWNSHIPRANGESECTIONELEVATION:

764FT

DRILL DEPTH: 23FT

39N

2W

28

DEPTH TO BED: 12FTUTM XUTM Y

662,273.54

4,214,884.72

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****009362**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/12/01TOWNSHIPRANGESECTIONELEVATION:

764FT

DRILL DEPTH: 30FT

39N

2W

28

DEPTH TO BED:UTM XUTM Y

662,273.54

4,214,884.72

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****009363**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/12/01TOWNSHIPRANGESECTIONELEVATION:

764FT

DRILL DEPTH: 24FT

39N

2W

28

DEPTH TO BED: 20FTUTM XUTM Y

662,273.54

4,214,884.72

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006627**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	664FT
<u>DRILL DEPTH:</u>	53FT	39N	2W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				663,041.43	4,223,477.05
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	12					

REMARKS:**LOG ID:****017433**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	670FT
<u>DRILL DEPTH:</u>	270FT	39N	2W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				662,307.43	4,223,502.05
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	15					

REMARKS: A.W. & WILLIAM F. FALLOON LEASE - CABLE TOOL SAMPLES**LOG ID:****006256**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	885FT
<u>DRILL DEPTH:</u>	220FT	39N	3W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				657,945.43	4,223,250.02
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	150					

REMARKS: LONG 1 X 2 MI SECTION; 1 MI FROM BLUE SPRING NEAR BOURBON**LOG ID:****020569**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	933FT
<u>DRILL DEPTH:</u>	250FT	39N	3W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				657,528.51	4,217,765.81
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: formerly in name of Lloyd Primell ???



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004721**WELL TYPE

Private Well

DRILL DATE: 1938/03/01TOWNSHIPRANGESECTIONELEVATION:

895FT

DRILL DEPTH: 300FT

39N

3W

16

DEPTH TO BED: 40FTUTM XUTM Y

653,057.50

4,218,242.82

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 90**LOG ID:****008850**WELL TYPE

Private Well

DRILL DATE: 1944/03/01TOWNSHIPRANGESECTIONELEVATION:

860FT

DRILL DEPTH: 85FT

39N

3W

16

DEPTH TO BED: 30FTUTM XUTM Y

653,056.51

4,217,634.79

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Ross ???S.W.L. (AFTER CASING): 30**LOG ID:****008854**WELL TYPE

Private Well

DRILL DATE: 1944/10/01TOWNSHIPRANGESECTIONELEVATION:

915FT

DRILL DEPTH: 85FT

39N

3W

16

DEPTH TO BED: 45FTUTM XUTM Y

652,657.49

4,218,242.81

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 55**LOG ID:****008861**WELL TYPE

Private Well

DRILL DATE: 1944/12/01TOWNSHIPRANGESECTIONELEVATION:

847FT

DRILL DEPTH: 280FT

39N

3W

16

DEPTH TO BED: 30FTUTM XUTM Y

653,557.50

4,218,750.84

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: BOURBONS.W.L. (AFTER CASING): 125



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012664**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1954/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,030FT
<u>DRILL DEPTH:</u>	525FT	39N	3W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	125FT				649,729.43	4,217,566.76
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> OLD WELL (#12664) DEEPENED (#13222) 208-525'			
<u>S.W.L. (AFTER CASING):</u>	180					

LOG ID:**013222**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1954/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	974FT
<u>DRILL DEPTH:</u>	525FT	39N	3W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					649,729.43	4,217,566.76
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u> OLD WELL DEEPENED 208-525' - SEE LOG #12664			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**016899**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1964/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,037FT
<u>DRILL DEPTH:</u>	1,000FT	39N	3W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					649,308.42	4,217,524.75
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	150	FT	<u>REMARKS:</u> OLD WELL DEEPENED (#22842) 850-1000' IN 1964, ORIGINAL IN			
<u>S.W.L. (AFTER CASING):</u>	198	FT	1958			

LOG ID:**022842**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1964/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,037FT
<u>DRILL DEPTH:</u>	1,000FT	39N	3W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					649,129.41	4,217,566.75
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	150	FT	<u>REMARKS:</u> OLD WELL DEEPENED (#22842) 850-1000' IN 1964, ORIGINAL IN			
<u>S.W.L. (AFTER CASING):</u>	198	FT	1958			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028899**WELL TYPE

Community Public Well

DRILL DATE: 2002/05/ TOWNSHIP 39N RANGE 3W SECTION 18 ELEVATION: 1,040FT
DRILL DEPTH: 1,050FT UTM X 649,529.42 UTM Y 4,218,088.77
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 220

LOG ID:**010591**WELL TYPE

Private Well

DRILL DATE: 1948/11/04 TOWNSHIP 39N RANGE 3W SECTION 19 ELEVATION: 1,038FT
DRILL DEPTH: 360FT UTM X 650,214.45 UTM Y 4,216,739.73
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI S OF LEASBURG
S.W.L. (AFTER CASING): 280

LOG ID:**020875**WELL TYPE

Private Well

DRILL DATE: 1961/07/01 TOWNSHIP 39N RANGE 3W SECTION 19 ELEVATION: 976FT
DRILL DEPTH: 335FT UTM X 650,114.44 UTM Y 4,217,003.74
DEPTH TO BED: 305FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of O.M. Dickey - 2 mi E of Leasburg; old well
S.W.L. (AFTER CASING): 250 deepened from 295-335'

LOG ID:**011260**WELL TYPE

Private Well

DRILL DATE: 1949/05/16 TOWNSHIP 39N RANGE 3W SECTION 2 ELEVATION:
DRILL DEPTH: 550FT UTM X 655,942.43 UTM Y 4,223,625.03
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LONG 1 X 2 MI SECTION; BLUE SPRING, 2 MI FRON BOURBON
S.W.L. (AFTER CASING): 82



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008748**WELL TYPE

Private Well

DRILL DATE: 1922/09/01TOWNSHIPRANGESECTIONELEVATION:

926FT

DRILL DEPTH: 175FT

39N

3W

20

DEPTH TO BED: 20FTUTM XUTM Y

650,613.47

4,216,043.71

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Lesley Gurney - 1.25 mi SE of LeasburgS.W.L. (AFTER CASING): 100**LOG ID:****020377**WELL TYPE

Private Well

DRILL DATE: 1961/10/01TOWNSHIPRANGESECTIONELEVATION:

947FT

DRILL DEPTH: 280FT

39N

3W

20

DEPTH TO BED: 65FTUTM XUTM Y

651,413.48

4,216,449.73

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 125**LOG ID:****026388**WELL TYPE

Private Well

DRILL DATE: 1967/12/04TOWNSHIPRANGESECTIONELEVATION:

966FT

DRILL DEPTH: 255FT

39N

3W

20

DEPTH TO BED: 165FTUTM XUTM Y

650,813.47

4,216,449.73

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NEAR LEASBURG; SCANNED, "DOESN'T FIT", SHOULD BE GASCONADES.W.L. (AFTER CASING): 160**LOG ID:****017324**WELL TYPE

Private Well

DRILL DATE: 1958/00/00TOWNSHIPRANGESECTIONELEVATION:

898FT

DRILL DEPTH: 200FT

39N

3W

21

DEPTH TO BED: 55FTUTM XUTM Y

652,626.51

4,216,638.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023568**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

757FT

DRILL DEPTH:

165FT

39N

3W

23

UTM XUTM YDEPTH TO BED:

35FT

656,074.54

4,215,795.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NEAR LEASBURG, NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):**LOG ID:****027392**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

740FT

DRILL DEPTH:

450FT

39N

3W

23

UTM XUTM YDEPTH TO BED:

35FT

656,274.53

4,216,591.77

ZONE 15

S.W.L. (BEFORE CASING): 180 FTREMARKS:S.W.L. (AFTER CASING): 200 FT**LOG ID:****021817**WELL TYPE

Private Well

DRILL DATE:

1963/07/01

TOWNSHIPRANGESECTIONELEVATION:

926FT

DRILL DEPTH:

360FT

39N

3W

25

UTM XUTM YDEPTH TO BED:

65FT

658,474.54

4,215,593.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

ALSO LOGGED AS #21997

S.W.L. (AFTER CASING):**LOG ID:****021997**WELL TYPE

Private Well

DRILL DATE:

1963/00/00

TOWNSHIPRANGESECTIONELEVATION:

926FT

DRILL DEPTH:

360FT

39N

3W

25

UTM XUTM YDEPTH TO BED:

658,474.54

4,215,593.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

ALSO LOGGED AS #21817, SEE THAT LOG FOR COMPLETE RECORD

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023584

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION

ELEVATION:

DRILL DEPTH: 275FT

39N

3W

25

DEPTH TO BED: 120FT

UTM X

UTM Y

657,874.55 4,214,529.69
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 3 MI S OF LEASBURG

S.W.L. (AFTER CASING):

LOG ID:
006243

WELL TYPE
Private Well

DRILL DATE: 1940/05/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

701FT

DRILL DEPTH: 70FT

39N

3W

26

DEPTH TO BED: 15FT

UTM X

UTM Y

655,632.56 4,214,190.68
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: CLUBHOUSE ON MERAMEC RIVER BELOW ONONDAGA

S.W.L. (AFTER CASING): 35

LOG ID:
011351

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1950/03/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

894FT

DRILL DEPTH: 375FT

39N

3W

26

DEPTH TO BED: 30FT

UTM X

UTM Y

656,432.55 4,214,688.70
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: BOYS & GIRLS CAMP, SE OF LEASBURG NEAR CAVE

S.W.L. (AFTER CASING): 238

LOG ID:
008852

WELL TYPE
Private Well

DRILL DATE: 1944/12/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

920FT

DRILL DEPTH: 144FT

39N

3W

27

DEPTH TO BED: 90FT

UTM X

UTM Y

654,638.55 4,215,013.70
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 100



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017069**WELL TYPE

Private Well

DRILL DATE: 1958/03/01TOWNSHIPRANGESECTIONELEVATION:

929FT

DRILL DEPTH: 300FT

39N

3W

27

DEPTH TO BED: 125FTUTM XUTM Y

654,338.54

4,215,623.73

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 257**LOG ID:****017130**WELL TYPE

Private Well

DRILL DATE: 1957/10/23TOWNSHIPRANGESECTIONELEVATION:

924FT

DRILL DEPTH: 300FT

39N

3W

27

DEPTH TO BED: 95FTUTM XUTM Y

654,438.54

4,215,623.73

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 240**LOG ID:****023587**WELL TYPE

Private Well

DRILL DATE: 1965/06/10TOWNSHIPRANGESECTIONELEVATION:

928FT

DRILL DEPTH: 325FT

39N

3W

27

DEPTH TO BED: 120FTUTM XUTM Y

654,238.54

4,215,623.73

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 7 MI S OF LEASBURG ON CAVE RDS.W.L. (AFTER CASING):**LOG ID:****024253**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

925FT

DRILL DEPTH: 300FT

39N

3W

27

DEPTH TO BED: 20FTUTM XUTM Y

654,438.55

4,215,013.70

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OPENINGS 80-92', 220-260'S.W.L. (AFTER CASING): 42



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005039**WELL TYPE

Private Well

DRILL DATE: 1938/06/08TOWNSHIP RANGE SECTION

39N

3W

3

ELEVATION: 851FTDRILL DEPTH: 152FTUTM X UTM Y

654,742.43 4,223,507.02

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 5.5 GPM @ 147'S.W.L. (AFTER CASING): 75**LOG ID:****007871**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIP RANGE SECTION

39N

3W

3

ELEVATION: 925FTDRILL DEPTH: 181FTUTM X UTM Y

654,542.43 4,223,507.02

ZONE 15

DEPTH TO BED: 80FTS.W.L. (BEFORE CASING):REMARKS: LONG 1 X 2 MI SECTION; ABT 2 MI SW OF BOURBON, 0.75 MI N OF HWY 66S.W.L. (AFTER CASING):**LOG ID:****008526**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1944/03/11TOWNSHIP RANGE SECTION

39N

3W

3

ELEVATION: 903FTDRILL DEPTH: 2,081FTUTM X UTM Y

654,342.45 4,221,940.96

ZONE 15

DEPTH TO BED: 30FTS.W.L. (BEFORE CASING):REMARKS: DDH ON BOURBON HIGH - PROSPECT HOLES.W.L. (AFTER CASING):**LOG ID:****010543**WELL TYPE

Private Well

DRILL DATE: 1948/09/27TOWNSHIP RANGE SECTION

39N

3W

3

ELEVATION: 815FTDRILL DEPTH: 125FTUTM X UTM Y

654,742.44 4,222,722.99

ZONE 15

DEPTH TO BED: 10FTS.W.L. (BEFORE CASING): FTREMARKS: LONG 1 X 2 MI SECTION; 0.5 MI SE OF BOURBONS.W.L. (AFTER CASING): 57



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014164**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1955/03/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	895FT
<u>DRILL DEPTH:</u>	760FT	39N	3W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				654,342.45	4,221,940.96
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	190	<u>REMARKS:</u>	HARRY BOMMER LEASE			

LOG ID:**026092**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/10/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	892FT
<u>DRILL DEPTH:</u>		39N	3W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					653,942.43	4,223,507.01
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	SAME AAS LOG #8526; RE-LOGGED; #1 "BOURBON HIGH"; NO SAMPLES LOGGED - DRILLER'S LOG ONLY			

LOG ID:**004555**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1937/11/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	955FT
<u>DRILL DEPTH:</u>	60FT	39N	3W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				649,791.46	4,214,951.66
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	25	<u>REMARKS:</u>	LOCATION UNCERTAIN - Driller's Log Attached			

LOG ID:**027083**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1970/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	926FT
<u>DRILL DEPTH:</u>	350FT	39N	3W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	195FT				649,891.46	4,215,381.68
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	220	<u>REMARKS:</u>	DRILLERS TD @ 300'			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008210**WELL TYPE

Private Well

DRILL DATE: 1943/03/01TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 238FT

39N

3W

31

DEPTH TO BED: 50FTUTM XUTM Y

650,078.50

4,213,086.60

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SARANAC SPRINGSS.W.L. (AFTER CASING): 180**LOG ID:****008212**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIPRANGESECTIONELEVATION:

870FT

DRILL DEPTH: 137FT

39N

3W

32

DEPTH TO BED: 40FTUTM XUTM Y

650,975.52

4,213,050.60

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 90**LOG ID:****005044**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1938/10/01TOWNSHIPRANGESECTIONELEVATION:

824FT

DRILL DEPTH: 213FT

39N

3W

33

DEPTH TO BED: 10FTUTM XUTM Y

652,809.57

4,212,807.61

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5 MI SE OF LEASBURG, 10 MI FROM CUBAS.W.L. (AFTER CASING): 100**LOG ID:****025359**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

900FT

DRILL DEPTH: 290FT

39N

3W

33

DEPTH TO BED: 60FTUTM XUTM Y

653,609.58

4,213,011.63

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI W OF ONONDAGA CAVE - LEASBURGS.W.L. (AFTER CASING): 190



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004557

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1937/11/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	656FT
<u>DRILL DEPTH:</u>	110FT	39N	3W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				655,511.57	4,213,476.65
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60	<u>REMARKS:</u>	Driller's Log Attached			

LOG ID:
008304

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1943/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	654FT
<u>DRILL DEPTH:</u>	190FT	39N	3W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	13FT				655,611.56	4,213,986.67
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	29	<u>REMARKS:</u>	CRAWFORD COUNTY CAVERNS CO.; ABT 40' ABOVE RIVER LEVEL			

LOG ID:
005429

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1939/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	944FT
<u>DRILL DEPTH:</u>	212FT	39N	3W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	125FT				653,136.43	4,223,510.01
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	145	<u>REMARKS:</u>	LONG 1 X 2 MI SECTION; 1 MI W OF BOURBON ON HWY 66 - Driller's Log Attached			

LOG ID:
010907

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1948/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	990FT
<u>DRILL DEPTH:</u>	325FT	39N	3W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	195FT				652,936.43	4,222,737.98
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	170	<u>REMARKS:</u>	LONG 1 X 2 MI SECTION; "BERNIE PLACE", HWY 66 W @ BOURBON			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010908

WELL TYPE
Private Well

DRILL DATE: 1948/00/00 TOWNSHIP 39N RANGE 3W SECTION 4 ELEVATION: 980FT
DRILL DEPTH: 298FT UTM X UTM Y
DEPTH TO BED: 170FT 652,936.43 4,223,123.99
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LONG 1 X 2 MI SECTION; BOURBON & HWY 66 W.
S.W.L. (AFTER CASING): 185

LOG ID:
004669

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1938/03/01 TOWNSHIP 39N RANGE 3W SECTION 5 ELEVATION: 1,023FT
DRILL DEPTH: 210FT UTM X UTM Y
DEPTH TO BED: 60FT 651,792.42 4,222,000.94
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LONG 1 X 2 MI SECTION; ALEX MORTENSEN, OWNER - Driller's Log
S.W.L. (AFTER CASING): 75 Attched

LOG ID:
007950

WELL TYPE
Private Well

DRILL DATE: 1942/00/00 TOWNSHIP 39N RANGE 3W SECTION 5 ELEVATION: 987FT
DRILL DEPTH: 180FT UTM X UTM Y
DEPTH TO BED: 100FT 651,192.40 4,222,000.93
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 125

LOG ID:
013577

WELL TYPE
Private Well

DRILL DATE: 1955/03/01 TOWNSHIP 39N RANGE 3W SECTION 5 ELEVATION: 980FT
DRILL DEPTH: 290FT UTM X UTM Y
DEPTH TO BED: 105FT 651,792.40 4,223,280.99
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LONG 1 X 2 MI SECTION; 1 MI W OF BOURBON; "MAIN FLOW LAST
S.W.L. (AFTER CASING): 175 20"



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013917**WELL TYPE

Private Well

DRILL DATE: 1955/05/01TOWNSHIPRANGESECTIONELEVATION:

970FT

DRILL DEPTH: 245FT

39N

3W

5

DEPTH TO BED: 110FTUTM XUTM Y

651,792.39

4,223,707.00

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG 1 X 2 MILE SECTIONS.W.L. (AFTER CASING): 180**LOG ID:****020209**WELL TYPE

Private Well

DRILL DATE: 1961/00/00TOWNSHIPRANGESECTIONELEVATION:

994FT

DRILL DEPTH: 216FT

39N

3W

5

DEPTH TO BED: 90FTUTM XUTM Y

651,592.41

4,222,000.94

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG 1 X 2 MI SECTION; OLD HWY 66, 2 MI W OF BOURBONS.W.L. (AFTER CASING): 80**LOG ID:****011370**WELL TYPE

Private Well

DRILL DATE: 1949/00/00TOWNSHIPRANGESECTIONELEVATION:

948FT

DRILL DEPTH: 191FT

39N

3W

6

DEPTH TO BED: 55FTUTM XUTM Y

649,826.35

4,223,132.96

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG 1 X 2 MI SECTION; W OF BOURBON 1 MI, N OF HWY 66S.W.L. (AFTER CASING): 141**LOG ID:****020866**WELL TYPE

Private Well

DRILL DATE: 1961/07/28TOWNSHIPRANGESECTIONELEVATION:

978FT

DRILL DEPTH: 375FT

39N

3W

6

DEPTH TO BED: 90FTUTM XUTM Y

650,233.38

4,222,167.93

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG 1 X 2 MI SECTION; 2 MI W OF BOURBON ON HWY 66S.W.L. (AFTER CASING): 190



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027463**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,022FT

DRILL DEPTH:

350FT

39N

3W

6

UTM XUTM YDEPTH TO BED:

75FT

649,547.37

4,221,673.90

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

RT 1, BOURBON, LONG 1 X 2 MI SECTION

S.W.L. (AFTER CASING):**LOG ID:****026428**WELL TYPE

Private Well

DRILL DATE:

1969/11/01

TOWNSHIPRANGESECTIONELEVATION:

1,025FT

DRILL DEPTH:

300FT

39N

3W

7

UTM XUTM YDEPTH TO BED:

90FT

649,156.39

4,219,349.82

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):**LOG ID:****024096**WELL TYPE

Private Well

DRILL DATE:

1965/12/01

TOWNSHIPRANGESECTIONELEVATION:

944FT

DRILL DEPTH:

250FT

39N

3W

9

UTM XUTM YDEPTH TO BED:

50FT

653,290.48

4,220,058.89

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

2 MI W OF BOURBON ON HWY JJ

S.W.L. (AFTER CASING):

140

LOG ID:**026813**WELL TYPE

Private Well

DRILL DATE:

1969/00/00

TOWNSHIPRANGESECTIONELEVATION:

950FT

DRILL DEPTH:

245FT

39N

4W

1

UTM XUTM YDEPTH TO BED:

45FT

647,899.33

4,221,167.87

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

SCANNED - "POOR SAMPLES"

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007154

WELL TYPE
Private Well

DRILL DATE: 1940/08/01

TOWNSHIP RANGE SECTION

ELEVATION: 958FT

DRILL DEPTH: 190FT

39N 4W 10

DEPTH TO BED: 10FT

UTM X UTM Y
644,517.27 4,220,355.80
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 130

LOG ID:
007816

WELL TYPE
Private Well

DRILL DATE: 1942/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 936FT

DRILL DEPTH: 166FT

39N 4W 10

DEPTH TO BED: 15FT

UTM X UTM Y
645,217.30 4,219,018.76
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
023583

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 938FT

DRILL DEPTH: 185FT

39N 4W 10

DEPTH TO BED: 80FT

UTM X UTM Y
645,817.30 4,220,046.81
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL TO 80'; 6 MI E OF CUBA, 1 MI N OF HWY 66

S.W.L. (AFTER CASING):

LOG ID:
019876

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 1,009FT

DRILL DEPTH: 250FT

39N 4W 12

DEPTH TO BED: 50FT

UTM X UTM Y
649,050.38 4,219,869.83
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: LEASBURG

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020144**WELL TYPE

Private Well

DRILL DATE: 1959/09/01TOWNSHIPRANGESECTIONELEVATION:

992FT

DRILL DEPTH: 175FT

39N

4W

12

DEPTH TO BED: 95FTUTM XUTM Y

649,050.37

4,220,279.85

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: S OF HWY 66 ON RD LEADING TO LEASBURGS.W.L. (AFTER CASING): 100**LOG ID:****020175**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

992FT

DRILL DEPTH: 186FT

39N

4W

12

DEPTH TO BED: 120FTUTM XUTM Y

649,050.37

4,220,279.85

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 120**LOG ID:****022954**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,038FT

DRILL DEPTH: 300FT

39N

4W

12

DEPTH TO BED: 45FTUTM XUTM Y

648,050.36

4,219,663.82

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: BETWEEN LEASBURG & OLD HWY 66S.W.L. (AFTER CASING): 225**LOG ID:****026384**WELL TYPE

Private Well

DRILL DATE: 1967/12/06TOWNSHIPRANGESECTIONELEVATION:

982FT

DRILL DEPTH: 200FT

39N

4W

12

DEPTH TO BED: 105FTUTM XUTM Y

649,050.38

4,220,075.84

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 80



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026873**WELL TYPE

Private Well

DRILL DATE: 1969/00/00TOWNSHIPRANGESECTIONELEVATION:

1,034FT

DRILL DEPTH: 285FT

39N

4W

12

DEPTH TO BED: 95FTUTM XUTM Y

648,250.37

4,219,253.80

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LEASBURGS.W.L. (AFTER CASING):**LOG ID:****027380**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,008FT

DRILL DEPTH: 500FT

39N

4W

12

DEPTH TO BED: 75FTUTM XUTM Y

648,150.35

4,220,177.83

ZONE 15

S.W.L. (BEFORE CASING): 220REMARKS:S.W.L. (AFTER CASING): FT**LOG ID:****027764**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,004FT

DRILL DEPTH: 320FT

39N

4W

12

DEPTH TO BED: 55FTUTM XUTM Y

648,350.37

4,219,355.81

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: JOHN C. MOSBY; NO SAMPLES RUN, NO TOPS GIVEN - DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****017657**WELL TYPE

Private Well

DRILL DATE: 1958/00/00TOWNSHIPRANGESECTIONELEVATION:

1,004FT

DRILL DEPTH: 235FT

39N

4W

13

DEPTH TO BED: 40FTUTM XUTM Y

648,623.40

4,217,851.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 0.5 MI N, 0.5 MI W OF LEASBURGS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018134**WELL TYPE

Private Well

DRILL DATE: 1959/05/01TOWNSHIPRANGESECTIONELEVATION:

1,002FT

DRILL DEPTH: 211FT

39N

4W

13

DEPTH TO BED: 55FTUTM XUTM Y

648,623.39

4,218,463.78

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 170**LOG ID:****026549**WELL TYPE

Private Well

DRILL DATE: 1969/11/04TOWNSHIPRANGESECTIONELEVATION:

1,025FT

DRILL DEPTH: 80FT

39N

4W

13

DEPTH TO BED: 25FTUTM XUTM Y

648,623.38

4,218,871.79

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "MAY BE IN FAULT ZONE", NO PRODUCTION OR CONSTRUCTION
DATAS.W.L. (AFTER CASING):**LOG ID:****026980**WELL TYPE

Private Well

DRILL DATE: 1969/06/01TOWNSHIPRANGESECTIONELEVATION:

1,003FT

DRILL DEPTH: 280FT

39N

4W

13

DEPTH TO BED: 80FTUTM XUTM Y

647,623.36

4,218,667.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SCANNED, NO SAMPLES LOGGED - TOPS ONLYS.W.L. (AFTER CASING):**LOG ID:****007159**WELL TYPE

Private Well

DRILL DATE: 1941/08/14TOWNSHIPRANGESECTIONELEVATION:

965FT

DRILL DEPTH: 191FT

39N

4W

15

DEPTH TO BED: 20FTUTM XUTM Y

645,806.34

4,217,400.71

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 150

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023588

WELL TYPE
Private Well

DRILL DATE: 1965/06/10 TOWNSHIP 39N RANGE 4W SECTION 15 ELEVATION: 942FT
DRILL DEPTH: 190FT UTM X 645,806.32 UTM Y 4,218,624.75
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 6 MI E OF CUBA, 0.5 MI S OF HWY 66 (I-44)
S.W.L. (AFTER CASING):

LOG ID:
025347

WELL TYPE
Private Well

DRILL DATE: 1966/07/01 TOWNSHIP 39N RANGE 4W SECTION 15 ELEVATION: 1,038FT
DRILL DEPTH: 280FT UTM X 644,806.31 UTM Y 4,217,400.70
DEPTH TO BED: 110FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: HWY AA & KEYSVILLE RD, 4 MI S OF STEELVILLE
S.W.L. (AFTER CASING): 230

LOG ID:
013528

WELL TYPE
Private Well

DRILL DATE: 1955/04/01 TOWNSHIP 39N RANGE 4W SECTION 16 ELEVATION: 1,042FT
DRILL DEPTH: 315FT UTM X 643,388.26 UTM Y 4,218,619.73
DEPTH TO BED: 270FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI N OF HOFFLIN
S.W.L. (AFTER CASING): 230

LOG ID:
014239

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1955/09/10 TOWNSHIP 39N RANGE 4W SECTION 16 ELEVATION: 1,050FT
DRILL DEPTH: 615FT UTM X 643,388.28 UTM Y 4,217,497.69
DEPTH TO BED: 240FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 250



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026782**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1971/03/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,046FT
<u>DRILL DEPTH:</u>	580FT	39N	4W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				643,188.27	4,217,599.69
<u>S.W.L. (BEFORE CASING):</u>	230	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	267	FT				

REMARKS:**LOG ID:****027137**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1970/02/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,035FT
<u>DRILL DEPTH:</u>	320FT	39N	4W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				643,788.29	4,217,599.70
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA**LOG ID:****019544**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	992FT
<u>DRILL DEPTH:</u>	250FT	39N	4W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				641,182.21	4,218,622.71
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: CUBA**LOG ID:****026406**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1969/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	986FT
<u>DRILL DEPTH:</u>	260FT	39N	4W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				641,182.21	4,218,822.71
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	170					

REMARKS: 2 MI N OF CUBA



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020174

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	993FT
<u>DRILL DEPTH:</u>	271FT	39N	4W	18		
<u>DEPTH TO BED:</u>	45FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				640,658.21	4,217,782.67
<u>S.W.L. (AFTER CASING):</u>	150				ZONE 15	
<u>REMARKS:</u> CUBA						

LOG ID:
022009

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1963/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	978FT
<u>DRILL DEPTH:</u>	260FT	39N	4W	18		
<u>DEPTH TO BED:</u>	20FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				640,858.22	4,217,546.66
<u>S.W.L. (AFTER CASING):</u>	95				ZONE 15	
<u>REMARKS:</u> 2 MI E OF CUBA ON HWY P						

LOG ID:
018104

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,002FT
<u>DRILL DEPTH:</u>	260FT	39N	4W	19		
<u>DEPTH TO BED:</u>	50FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				639,658.19	4,217,308.64
<u>S.W.L. (AFTER CASING):</u>	170				ZONE 15	
<u>REMARKS:</u> 2 MI N OF CUBA ON HWY 19						

LOG ID:
020468

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	974FT
<u>DRILL DEPTH:</u>	300FT	39N	4W	19		
<u>DEPTH TO BED:</u>	25FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				640,029.22	4,215,733.59
<u>S.W.L. (AFTER CASING):</u>	171				ZONE 15	
<u>REMARKS:</u> SIBDIVISION @ CUBA						

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023347

WELL TYPE
Private Well

DRILL DATE: 1965/02/08

TOWNSHIP RANGE SECTION

ELEVATION: 975FT

DRILL DEPTH: 228FT

39N 4W 19

DEPTH TO BED: 55FT

UTM X UTM Y
639,646.20 4,216,637.62
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 2.5 MI N OF CUBA ON HWY 19

S.W.L. (AFTER CASING):

LOG ID:
023597

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 1,014FT

DRILL DEPTH: 350FT

39N 4W 19

DEPTH TO BED: 50FT

UTM X UTM Y
640,858.22 4,217,308.66
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 2.5 MI N OF CUBA ON HWY P

S.W.L. (AFTER CASING):

LOG ID:
028196

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 984FT

DRILL DEPTH: 405FT

39N 4W 19

DEPTH TO BED: 360FT

UTM X UTM Y
640,146.22 4,216,520.62
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
019698

WELL TYPE
Private Well

DRILL DATE: 1961/05/01

TOWNSHIP RANGE SECTION

ELEVATION: 915FT

DRILL DEPTH: 225FT

39N 4W 2

DEPTH TO BED: 205FT

UTM X UTM Y
647,474.33 4,220,767.85
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 1 MI N OF HWY 66, W SD OF LAKE

S.W.L. (AFTER CASING): 150



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
002127

WELL TYPE
Private Well

DRILL DATE: 1926/11/01

TOWNSHIP RANGE SECTION

ELEVATION: 1,010FT

DRILL DEPTH: 268FT

39N 4W 20

DEPTH TO BED: 30FT

UTM X UTM Y
642,471.28 4,215,900.62
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
019709

WELL TYPE
Private Well

DRILL DATE: 1961/05/15

TOWNSHIP RANGE SECTION

ELEVATION: 1,016FT

DRILL DEPTH: 285FT

39N 4W 20

DEPTH TO BED: 35FT

UTM X UTM Y
642,571.27 4,216,811.66
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 0.5 MI W OF HOTTIN (?) IN W BD HWY 66 LANE

S.W.L. (AFTER CASING): 200

LOG ID:
020173

WELL TYPE
Private Well

DRILL DATE: 1960/09/09

TOWNSHIP RANGE SECTION

ELEVATION: 1,038FT

DRILL DEPTH: 300FT

39N 4W 20

DEPTH TO BED: 75FT

UTM X UTM Y
641,971.27 4,215,799.61
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 2 MI N OF CUBA

S.W.L. (AFTER CASING): 212

LOG ID:
026817

WELL TYPE
Private Well

DRILL DATE: 1970/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 1,018FT

DRILL DEPTH: 305FT

39N 4W 20

DEPTH TO BED: 45FT

UTM X UTM Y
641,171.24 4,216,203.62
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004556**WELL TYPE

Private Well

DRILL DATE: 1937/10/29 TOWNSHIP 39N RANGE 4W SECTION 21 ELEVATION: 1,045FT
DRILL DEPTH: 285FT UTM X 642,778.28 UTM Y 4,216,394.64
DEPTH TO BED: 110FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: "ROCK @ 32' (DRILLER)" - Driller's Log Attached
S.W.L. (AFTER CASING): 230

LOG ID:**007723**WELL TYPE

Private Well

DRILL DATE: 1942/00/00 TOWNSHIP 39N RANGE 4W SECTION 21 ELEVATION: 1,030FT
DRILL DEPTH: 295FT UTM X 643,278.28 UTM Y 4,216,901.67
DEPTH TO BED: 130FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3 MI E OF CUBA ON HWY 66; NO SAMPLES RUN BELOW 130'
S.W.L. (AFTER CASING): 200

LOG ID:**014398**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1955/12/01 TOWNSHIP 39N RANGE 4W SECTION 21 ELEVATION: 1,038FT
DRILL DEPTH: 325FT UTM X 642,978.28 UTM Y 4,216,394.64
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: CUBA
S.W.L. (AFTER CASING): 250

LOG ID:**021131**WELL TYPE

Private Well

DRILL DATE: 1962/06/01 TOWNSHIP 39N RANGE 4W SECTION 21 ELEVATION: 1,042FT
DRILL DEPTH: 293FT UTM X 642,878.28 UTM Y 4,216,292.64
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3 MI E OF CUBA ON S SD HWY 66
S.W.L. (AFTER CASING): 220



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023721**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

922FT

DRILL DEPTH:

275FT

39N

4W

25

DEPTH TO BED:

120FT

UTM XUTM Y

648,389.44

4,214,436.63

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

3 MI SW OF LEASBURG

S.W.L. (AFTER CASING):

185

LOG ID:**008095**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1943/02/12

TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH:

40FT

39N

4W

28

DEPTH TO BED:

30FT

UTM XUTM Y

643,463.32

4,214,898.60

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO WATER; 100' NE OF #S-2; IRON PROSPECT

S.W.L. (AFTER CASING):**LOG ID:****008851**WELL TYPE

Private Well

DRILL DATE:

1945/05/01

TOWNSHIPRANGESECTIONELEVATION:

969FT

DRILL DEPTH:

210FT

39N

4W

28

DEPTH TO BED:

80FT

UTM XUTM Y

643,163.30

4,215,593.62

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

"WELL CAN'T BE BAILED DOWN"

S.W.L. (AFTER CASING):

40

LOG ID:**015678**WELL TYPE

Private Well

DRILL DATE:

1956/00/00

TOWNSHIPRANGESECTIONELEVATION:

1,024FT

DRILL DEPTH:

325FT

39N

4W

29

DEPTH TO BED:

25FT

UTM XUTM Y

641,749.27

4,215,000.58

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

110



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**001806**WELL TYPE

Community Public Well

DRILL DATE: 1914/10/00TOWNSHIPRANGESECTIONELEVATION:

1,015FT

DRILL DEPTH: 535FT

39N

4W

30

DEPTH TO BED: 76FTUTM XUTM Y

640,214.25

4,214,100.53

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:100 YDS SW OF DEPOT ON E SD SALEM BRANCH - DRILLER'S
LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****005041**WELL TYPE

Private Well

DRILL DATE: 1938/05/23TOWNSHIPRANGESECTIONELEVATION:

1,018FT

DRILL DEPTH: 282FT

39N

4W

30

DEPTH TO BED:UTM XUTM Y

640,829.26

4,214,097.54

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

2 BLKS E OF CITY LIMITS OF CUBA - Driller's Log Attached

S.W.L. (AFTER CASING): 207**LOG ID:****013019**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1954/08/01TOWNSHIPRANGESECTIONELEVATION:

1,010FT

DRILL DEPTH: 291FT

39N

4W

30

DEPTH TO BED: 170FTUTM XUTM Y

640,029.23

4,215,265.57

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

1200' E OF JCT HWYS 66 & 19

S.W.L. (AFTER CASING): 200**LOG ID:****014446**WELL TYPE

Private Well

DRILL DATE: 1955/12/01TOWNSHIPRANGESECTIONELEVATION:

970FT

DRILL DEPTH: 185FT

39N

4W

30

DEPTH TO BED: 20FTUTM XUTM Y

639,429.22

4,215,031.56

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 140



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017181**WELL TYPE

Private Well

DRILL DATE: 1958/04/01TOWNSHIPRANGESECTIONELEVATION:

955FT

DRILL DEPTH: 167FT

39N

4W

30

DEPTH TO BED: 15FTUTM XUTM Y

639,646.21

4,215,701.59

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 70**LOG ID:****018107**WELL TYPE

Private Well

DRILL DATE: 1959/00/00TOWNSHIPRANGESECTIONELEVATION:

978FT

DRILL DEPTH: 220FT

39N

4W

30

DEPTH TO BED: 35FTUTM XUTM Y

639,646.21

4,215,701.59

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI N OF CUBA ON HWY 19S.W.L. (AFTER CASING): 160**LOG ID:****028754**WELL TYPE

Community Public Well

DRILL DATE: 1984/03/26TOWNSHIPRANGESECTIONELEVATION:

980FT

DRILL DEPTH: 1,003FT

39N

4W

30

DEPTH TO BED: 20FTUTM XUTM Y

640,431.24

4,214,968.57

ZONE 15

S.W.L. (BEFORE CASING): 177 FTREMARKS: adjacent to ball parkS.W.L. (AFTER CASING): 166 FT**LOG ID:****002226**WELL TYPE

Private Well

DRILL DATE: 1928/07/01TOWNSHIPRANGESECTIONELEVATION:

1,030FT

DRILL DEPTH: 266FT

39N

4W

31

DEPTH TO BED: 185FTUTM XUTM Y

640,714.27

4,213,870.53

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 220



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002255**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,015FT

DRILL DEPTH:

108FT

39N

4W

31

UTM XUTM YDEPTH TO BED:

640,314.26

4,213,755.52

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

abandoned well - 3 10-FT SAMPLES @ 40', 70', & 100'; NO UNITS IDENTIFIED

S.W.L. (AFTER CASING):**LOG ID:****002256**WELL TYPE

Community Public Well

DRILL DATE:

1929/07/01

TOWNSHIPRANGESECTIONELEVATION:

1,020FT

DRILL DEPTH:

260FT

39N

4W

31

UTM XUTM YDEPTH TO BED:

155FT

640,314.26

4,213,755.52

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

COULD BE SW SEC. 30;

S.W.L. (AFTER CASING):**LOG ID:****002373**WELL TYPE

Community Public Well

DRILL DATE:

1931/02/01

TOWNSHIPRANGESECTIONELEVATION:

1,038FT

DRILL DEPTH:

602FT

39N

4W

31

UTM XUTM YDEPTH TO BED:

180FT

639,462.24

4,213,686.51

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

PUMP ASSMBLY REPAIRED 1954

S.W.L. (AFTER CASING):

237

LOG ID:**009763**WELL TYPE

Community Public Well

DRILL DATE:

1947/12/01

TOWNSHIPRANGESECTIONELEVATION:

1,015FT

DRILL DEPTH:

1,005FT

39N

4W

31

UTM XUTM YDEPTH TO BED:

15FT

639,969.25

4,213,762.52

ZONE 15

S.W.L. (BEFORE CASING):

210

FT

REMARKS:

OLD WELL TO 900', DEEPENED 1958 (#10795) TO 1005'

S.W.L. (AFTER CASING):

205

FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014439**WELL TYPE

Private Well

DRILL DATE: 1955/12/01TOWNSHIPRANGESECTIONELEVATION:

1,044FT

DRILL DEPTH: 295FT

39N

4W

31

DEPTH TO BED: 35FTUTM XUTM Y

640,414.28

4,212,491.48

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 255**LOG ID:****022527**WELL TYPE

Community Public Well

DRILL DATE: 1964/05/01TOWNSHIPRANGESECTIONELEVATION:

1,023FT

DRILL DEPTH: 1,050FT

39N

4W

31

DEPTH TO BED: 65FTUTM XUTM Y

640,842.27

4,214,065.54

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 225**LOG ID:****021046**WELL TYPE

Private Well

DRILL DATE: 1962/06/01TOWNSHIPRANGESECTIONELEVATION:

1,042FT

DRILL DEPTH: 292FT

39N

4W

32

DEPTH TO BED: 95FTUTM XUTM Y

641,332.29

4,213,401.52

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 230**LOG ID:****023589**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,046FT

DRILL DEPTH: 325FT

39N

4W

32

DEPTH TO BED: 25FTUTM XUTM Y

641,332.28

4,213,603.53

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: E OF CUBAS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024265

WELL TYPE
Private Well

DRILL DATE: 1966/00/00 TOWNSHIP 39N RANGE 4W SECTION 32 ELEVATION: 938FT
DRILL DEPTH: 300FT UTM X 641,732.30 UTM Y 4,213,401.53
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:
027770

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 39N RANGE 4W SECTION 32 ELEVATION: 919FT
DRILL DEPTH: 240FT UTM X 641,832.30 UTM Y 4,213,299.52
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO SAMPLES LOGGED, NO UNITS IDENTIFIED
S.W.L. (AFTER CASING):

LOG ID:
012710

WELL TYPE
Private Well

DRILL DATE: 1951/00/00 TOWNSHIP 39N RANGE 4W SECTION 33 ELEVATION: 923FT
DRILL DEPTH: 176FT UTM X 643,543.34 UTM Y 4,213,002.53
DEPTH TO BED: 75FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 120

LOG ID:
020871

WELL TYPE
Private Well

DRILL DATE: 1961/09/01 TOWNSHIP 39N RANGE 4W SECTION 4 ELEVATION: 1,044FT
DRILL DEPTH: 315FT UTM X 642,771.20 UTM Y 4,222,226.85
DEPTH TO BED: 110FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LONG 1 X 1.9 MI SECTION; 6 MI E OF CUBA ON HWY P, THEN 0.5
S.W.L. (AFTER CASING): 185 MI S



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010075**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,035FT

DRILL DEPTH:

300FT

39N

4W

5

DEPTH TO BED:

15FT

UTM XUTM Y

641,738.16

4,222,993.87

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

6 MI N OF CUBA

S.W.L. (AFTER CASING):

130

LOG ID:**026700**WELL TYPE

Private Well

DRILL DATE:

1969/01/13

TOWNSHIPRANGESECTIONELEVATION:

1,022FT

DRILL DEPTH:

325FT

39N

4W

5

DEPTH TO BED:

55FT

UTM XUTM Y

642,038.17

4,222,787.86

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

LONG 1 X 2 MI SECTION

S.W.L. (AFTER CASING):

235

LOG ID:**017662**WELL TYPE

Private Well

DRILL DATE:

1958/08/01

TOWNSHIPRANGESECTIONELEVATION:

1,019FT

DRILL DEPTH:

260FT

39N

4W

8

DEPTH TO BED:

60FT

UTM XUTM Y

641,302.20

4,219,529.74

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

HWY P, 4 MI N OF CUBA

S.W.L. (AFTER CASING):

175

LOG ID:**023581**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

986FT

DRILL DEPTH:

250FT

39N

4W

9

DEPTH TO BED:

40FT

UTM XUTM Y

644,197.26

4,220,231.79

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

5 MI E OF CUBA ON ARGO RD

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027358**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,024FT

DRILL DEPTH:

625FT

39N

4W

9

DEPTH TO BED:

50FT

UTM XUTM Y

643,710.26

4,219,403.76

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of Yogi Bear Jellystone Campground - 227 CAMPSITES

S.W.L. (AFTER CASING):

215

LOG ID:**004211**WELL TYPE

Private Well

DRILL DATE:

1937/03/11

TOWNSHIPRANGESECTIONELEVATION:

988FT

DRILL DEPTH:

202FT

39N

5W

10

DEPTH TO BED:

65FT

UTM XUTM Y

635,737.08

4,219,040.66

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

5 MI N OF CUBA - Driller's Log Attached

S.W.L. (AFTER CASING):

120

LOG ID:**002631**WELL TYPE

Private Well

DRILL DATE:

1932/09/01

TOWNSHIPRANGESECTIONELEVATION:

975FT

DRILL DEPTH:

170FT

39N

5W

11

DEPTH TO BED:UTM XUTM Y

636,074.08

4,218,975.66

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

ALL RESIDUAL JEFFERSON CITY - ROUBIDOUX

S.W.L. (AFTER CASING):

72

LOG ID:**025357**WELL TYPE

Private Well

DRILL DATE:

1967/06/01

TOWNSHIPRANGESECTIONELEVATION:

924FT

DRILL DEPTH:

184FT

39N

5W

11

DEPTH TO BED:

50FT

UTM XUTM Y

636,474.09

4,219,599.69

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1.5 MI E OF INDIAN HILLS LAKE

S.W.L. (AFTER CASING):

110

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027241**WELL TYPE

Private Well

DRILL DATE: 1970/02/04TOWNSHIP RANGE SECTION

39N 5W 13

ELEVATION: 1,004FTDRILL DEPTH: 343FTDEPTH TO BED: 45FTUTM X UTM Y639,103.17 4,217,820.66
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 3 MI N OF CUBA ON HWY 19S.W.L. (AFTER CASING):**LOG ID:****020874**WELL TYPE

Private Well

DRILL DATE: 1960/03/01TOWNSHIP RANGE SECTION

39N 5W 14

ELEVATION: 994FTDRILL DEPTH: 205FTDEPTH TO BED: 20FTUTM X UTM Y636,678.12 4,217,770.63
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 4 MI N OF CUBA ON HWY DDS.W.L. (AFTER CASING): 165**LOG ID:****021767**WELL TYPE

Private Well

DRILL DATE: 1963/00/00TOWNSHIP RANGE SECTION

39N 5W 14

ELEVATION: 935FTDRILL DEPTH: 295FTDEPTH TO BED: 205FTUTM X UTM Y636,778.11 4,218,080.64
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 3.5 MI N OF CUBA, NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****005050**WELL TYPE

Private Well

DRILL DATE: 1938/07/11TOWNSHIP RANGE SECTION

39N 5W 17

ELEVATION: 994FTDRILL DEPTH: 150FTDEPTH TO BED: 65FTUTM X UTM Y632,190.00 4,218,278.60
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 60



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005037**WELL TYPE

Private Well

DRILL DATE: 1938/00/00TOWNSHIPRANGESECTIONELEVATION:

987FT

DRILL DEPTH: 121FT

39N

5W

19

DEPTH TO BED: 60FTUTM XUTM Y

630,914.03

4,215,777.50

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: IRON ORE IN UPPER GASCONADE (90-110')S.W.L. (AFTER CASING): 50**LOG ID:****020870**WELL TYPE

Private Well

DRILL DATE: 1962/03/01TOWNSHIPRANGESECTIONELEVATION:

1,002FT

DRILL DEPTH: 205FT

39N

5W

23

DEPTH TO BED: 145FTUTM XUTM Y

637,081.13

4,217,174.61

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3.5 MI N OF CUBA ON HWY DD, 1/8 MI 3; RED WATERS.W.L. (AFTER CASING): 120**LOG ID:****021158**WELL TYPE

Private Well

DRILL DATE: 1962/06/01TOWNSHIPRANGESECTIONELEVATION:

914FT

DRILL DEPTH: 85FT

39N

5W

23

DEPTH TO BED: 15FTUTM XUTM Y

636,481.13

4,216,666.59

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****021705**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1963/05/01TOWNSHIPRANGESECTIONELEVATION:

1,003FT

DRILL DEPTH: 550FT

39N

5W

23

DEPTH TO BED: 25FTUTM XUTM Y

636,981.13

4,217,072.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: V.E. WOODCOCK, OWNER, 3 MI N OF CUBA ON HWY DDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021766**WELL TYPE

Community Public Well

DRILL DATE: 1963/00/00TOWNSHIPRANGESECTIONELEVATION:

963FT

DRILL DEPTH: 990FT

39N

5W

23

DEPTH TO BED: 50FTUTM XUTM Y

636,634.13

4,216,424.58

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Indian Hills ResortS.W.L. (AFTER CASING): 160**LOG ID:****026658**WELL TYPE

Community Public Well

DRILL DATE: 1970/10/01TOWNSHIPRANGESECTIONELEVATION:

1,024FT

DRILL DEPTH: 1,065FT

39N

5W

23

DEPTH TO BED: 40FTUTM XUTM Y

637,081.14

4,216,362.58

ZONE 15

S.W.L. (BEFORE CASING): 176 FTREMARKS:S.W.L. (AFTER CASING): 172 FT**LOG ID:****027295**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,020FT

DRILL DEPTH: 240FT

39N

5W

23

DEPTH TO BED:UTM XUTM Y

637,081.15

4,216,158.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****027850**WELL TYPE

Private Well

DRILL DATE: 1971/05/11TOWNSHIPRANGESECTIONELEVATION:

1,028FT

DRILL DEPTH: 280FT

39N

5W

23

DEPTH TO BED: 15FTUTM XUTM Y

637,281.16

4,215,956.57

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2-2.5 MI N OF CUBA SCHOOLHOUSES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026799

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1971/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,002FT
<u>DRILL DEPTH:</u>	485FT	39N	5W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				638,299.18	4,215,816.58
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	160					

REMARKS:

LOG ID:
006249

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1940/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,006FT
<u>DRILL DEPTH:</u>	233FT	39N	5W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT				638,695.21	4,214,174.52
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	160					

REMARKS: OLD WELL TO 109'; 0.5 MI NW OF CUBA

LOG ID:
020879

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,000FT
<u>DRILL DEPTH:</u>	150FT	39N	5W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				639,095.22	4,214,586.54
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	50					

REMARKS: NW CORNER OF CUBA

LOG ID:
025002

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1967/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,001FT
<u>DRILL DEPTH:</u>	195FT	39N	5W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				638,395.20	4,214,894.54
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: "CAN'T LOCATE", DRILLER HAS NO RECORD OF THIS WELL



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027941**WELL TYPE

Industrial High Capacity Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,025FT
39N 5W 25
DRILL DEPTH: 350FT
DEPTH TO BED: 30FT UTM X UTM Y
637,795.19 4,214,277.52
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: CASING "JUST CEMENTED @ BOTTOM"
S.W.L. (AFTER CASING):

LOG ID:**005428**WELL TYPE

Private Well

DRILL DATE: 1939/04/01 TOWNSHIP RANGE SECTION ELEVATION: 951FT
39N 5W 26
DRILL DEPTH: 225FT
DEPTH TO BED: 180FT UTM X UTM Y
636,779.16 4,214,869.53
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL TO 180'; 2 MI NW OF CUBA; YIELD 1.5 GPM @ 180'
S.W.L. (AFTER CASING): 170

LOG ID:**008344**WELL TYPE

Private Well

DRILL DATE: 1943/00/00 TOWNSHIP RANGE SECTION ELEVATION: 990FT
39N 5W 26
DRILL DEPTH: 135FT
DEPTH TO BED: 20FT UTM X UTM Y
636,079.14 4,214,972.52
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 2 MI W OF CUBA ON OLD SPRINGFIELD RD
S.W.L. (AFTER CASING):

LOG ID:**008780**WELL TYPE

Private Well

DRILL DATE: 1944/00/00 TOWNSHIP RANGE SECTION ELEVATION: 967FT
39N 5W 26
DRILL DEPTH: 135FT
DEPTH TO BED: 20FT UTM X UTM Y
636,079.14 4,214,766.52
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of F.W. Wilmesherr
S.W.L. (AFTER CASING): 75



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014242**WELL TYPE

Private Well

DRILL DATE: 1955/06/08TOWNSHIPRANGESECTIONELEVATION:

1,002FT

DRILL DEPTH: 190FT

39N

5W

26

DEPTH TO BED:UTM XUTM Y

637,479.18

4,214,152.51

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 155**LOG ID:****022890**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,048FT

DRILL DEPTH: 165FT

39N

5W

28

DEPTH TO BED: 80FTUTM XUTM Y

633,220.07

4,215,089.50

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****004949**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/07/01TOWNSHIPRANGESECTIONELEVATION:

1,040FT

DRILL DEPTH: 57FT

39N

5W

29

DEPTH TO BED:UTM XUTM Y

632,212.06

4,214,440.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR CENTER OF OLD OPEN PIT; PYRITE TEST HOLES.W.L. (AFTER CASING):**LOG ID:****008131**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/00/00TOWNSHIPRANGESECTIONELEVATION:

1,060FT

DRILL DEPTH: 43FT

39N

5W

29

DEPTH TO BED:UTM XUTM Y

632,012.05

4,214,644.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 0.25 MI N OF IRON RIDGE MINE, PROSPECT HOLES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019708

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/05/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	929FT
<u>DRILL DEPTH:</u>	140FT	39N	5W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				634,540.02	4,220,857.71
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60	<u>REMARKS:</u>	6 MI N OF CUBA ON HWY DD			

LOG ID:
013309

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,092FT
<u>DRILL DEPTH:</u>	203FT	39N	5W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				630,919.05	4,213,951.44
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	145	<u>REMARKS:</u>	2 MI N, 1 MI E OF ROSATI			

LOG ID:
022957

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1964/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,022FT
<u>DRILL DEPTH:</u>	175FT	39N	5W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				632,833.09	4,213,265.43
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	35	<u>REMARKS:</u>	5 MI W OF CUBA ON HWY F			

LOG ID:
002404

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1930/12/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	130FT	39N	5W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				634,458.12	4,213,719.46
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	65	<u>REMARKS:</u>	1.5 MI N, 0.25 MI E OF FANNING - DRILLER'S LOG ONLY			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020211**WELL TYPE

Private Well

DRILL DATE: 1961/00/00TOWNSHIPRANGESECTIONELEVATION:

1,030FT

DRILL DEPTH: 210FT

39N

5W

34

DEPTH TO BED: 135FTUTM XUTM Y

635,658.16

4,212,487.43

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:0.25 MI S OF W BD LANE OF HWY 66, 0.25 MI E OF FOX SPRING
RDS.W.L. (AFTER CASING): 95**LOG ID:****026124**WELL TYPE

Private Well

DRILL DATE: 1967/09/26TOWNSHIPRANGESECTIONELEVATION:

1,024FT

DRILL DEPTH: 270FT

39N

5W

34

DEPTH TO BED: 140FTUTM XUTM Y

635,058.14

4,212,897.44

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

3 MI W OF CUBA ON HWY 66

S.W.L. (AFTER CASING): 105**LOG ID:****022953**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,004FT

DRILL DEPTH: 225FT

39N

5W

35

DEPTH TO BED: 15FTUTM XUTM Y

637,486.19

4,213,952.50

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

1 MI W OF CUBA

S.W.L. (AFTER CASING): 170**LOG ID:****002403**WELL TYPE

Private Well

DRILL DATE: 1931/02/05TOWNSHIPRANGESECTIONELEVATION:

1,047FT

DRILL DEPTH: 270FT

39N

5W

36

DEPTH TO BED: 30FTUTM XUTM Y

638,193.22

4,212,677.46

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

BARNSDALL STATION W OF CUBA ON HWY 66

S.W.L. (AFTER CASING): 210

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004602

WELL TYPE
Private Well

DRILL DATE: 1938/01/04 TOWNSHIP 39N RANGE 5W SECTION 36 ELEVATION: 1,044FT
DRILL DEPTH: 276FT UTM X 638,593.23 UTM Y 4,212,677.47
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: Driller's Log Attached
S.W.L. (AFTER CASING): 215

LOG ID:
021567

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 39N RANGE 5W SECTION 36 ELEVATION: 996FT
DRILL DEPTH: 212FT UTM X 638,693.22 UTM Y 4,213,989.52
DEPTH TO BED: 65FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LOTS OF SINK-FILL OR CAVE CLAY THROUGHOUT WELL
S.W.L. (AFTER CASING): 150

LOG ID:
027103

WELL TYPE
Private Well

DRILL DATE: 1972/03/08 TOWNSHIP 39N RANGE 5W SECTION 4 ELEVATION: 990FT
DRILL DEPTH: 260FT UTM X 633,706.00 UTM Y 4,220,823.70
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
008774

WELL TYPE
Private Well

DRILL DATE: 1944/00/00 TOWNSHIP 39N RANGE 5W SECTION 5 ELEVATION: 1,005FT
DRILL DEPTH: 135FT UTM X 631,874.94 UTM Y 4,222,088.73
DEPTH TO BED: 70FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LONG SECTION "E1/2 LOT 1 W"; STAR RT, CUBA
S.W.L. (AFTER CASING): 85



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023723**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

988FT

DRILL DEPTH:

165FT

39N

5W

5

UTM XUTM YDEPTH TO BED:

100FT

631,974.95

4,221,877.72

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

9 MI N OF CUBA ON HWY F

S.W.L. (AFTER CASING):**LOG ID:****025000**WELL TYPE

Private Well

DRILL DATE:

1966/10/01

TOWNSHIPRANGESECTIONELEVATION:

990FT

DRILL DEPTH:

150FT

39N

5W

5

UTM XUTM YDEPTH TO BED:

65FT

631,974.93

4,223,147.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

ON HWY F, 7 MI N OF HWY 66

S.W.L. (AFTER CASING):**LOG ID:****023646**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1965/00/00

TOWNSHIPRANGESECTIONELEVATION:

584FT

DRILL DEPTH:

119FT

40N

2W

13

UTM XUTM YDEPTH TO BED:

25FT

666,602.34

4,229,985.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

MERAMEC DAM SITE UPSTREAM FROM HWY 155

S.W.L. (AFTER CASING):**LOG ID:****023685**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

740FT

DRILL DEPTH:

252FT

40N

2W

13

UTM XUTM YDEPTH TO BED:

25FT

666,102.34

4,230,100.32

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

MERAMEC DAM SITE 2BY

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027669**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

780FT

DRILL DEPTH:

395FT

40N

2W

13

DEPTH TO BED:

5FT

UTM XUTM Y

665,906.34

4,229,906.31

ZONE 15

S.W.L. (BEFORE CASING): 210REMARKS:formerly in name of US Army Corps of Engineers for administration
office, MERAMEC DAM SITES.W.L. (AFTER CASING):

FT

LOG ID:**010332**WELL TYPE

Private Well

DRILL DATE:

1948/03/07

TOWNSHIPRANGESECTIONELEVATION:

945FT

DRILL DEPTH:

265FT

40N

2W

15

DEPTH TO BED:

90FT

UTM XUTM Y

662,648.34

4,229,590.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1 MI SE OF SULLIVAN

S.W.L. (AFTER CASING):

195

LOG ID:**010072**WELL TYPE

Private Well

DRILL DATE:

1948/04/05

TOWNSHIPRANGESECTIONELEVATION:

969FT

DRILL DEPTH:

350FT

40N

2W

17

DEPTH TO BED:

125FT

UTM XUTM Y

659,821.34

4,229,867.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

0.25 MI S OF SULLIVAN

S.W.L. (AFTER CASING):

150

LOG ID:**026438**WELL TYPE

Community Public Well

DRILL DATE:

1969/10/01

TOWNSHIPRANGESECTIONELEVATION:

978FT

DRILL DEPTH:

850FT

40N

2W

17

DEPTH TO BED:

135FT

UTM XUTM Y

659,921.35

4,229,165.25

ZONE 15

S.W.L. (BEFORE CASING): 134 FTREMARKS:

YIELD BEFORE ACID - 240 GPM

S.W.L. (AFTER CASING): 163 FT

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028052

WELL TYPE
Community Public Well

DRILL DATE: 1977/01/01 TOWNSHIP 40N RANGE 2W SECTION 17 ELEVATION: 960FT
DRILL DEPTH: 965FT UTM X 659,729.34 UTM Y 4,229,645.27
DEPTH TO BED: 130FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
006259

WELL TYPE
Private Well

DRILL DATE: 1940/06/01 TOWNSHIP 40N RANGE 2W SECTION 18 ELEVATION: 976FT
DRILL DEPTH: 160FT UTM X 658,850.35 UTM Y 4,229,039.24
DEPTH TO BED: 70FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 95

LOG ID:
009658

WELL TYPE
Private Well

DRILL DATE: 1947/09/01 TOWNSHIP 40N RANGE 2W SECTION 18 ELEVATION: 972FT
DRILL DEPTH: 291FT UTM X 659,150.35 UTM Y 4,229,138.25
DEPTH TO BED: 150FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 300' W OF HWY 66
S.W.L. (AFTER CASING):

LOG ID:
018111

WELL TYPE
Private Well

DRILL DATE: 1958/08/20 TOWNSHIP 40N RANGE 2W SECTION 18 ELEVATION: 991FT
DRILL DEPTH: 200FT UTM X 659,050.35 UTM Y 4,229,039.24
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 120



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022409**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1964/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,026FT
<u>DRILL DEPTH:</u>	610FT	40N	2W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	165FT				657,709.36	4,228,107.20
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ROHR & ROHR			
<u>S.W.L. (AFTER CASING):</u>	100					

LOG ID:**022919**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	989FT
<u>DRILL DEPTH:</u>	202FT	40N	2W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT				658,196.36	4,228,100.20
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**003022**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1916/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	835FT
<u>DRILL DEPTH:</u>	370FT	40N	2W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				659,803.36	4,228,144.21
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	formerly in name of J.S. Bordeaux - lead & zinc prospect, near Sullivan;			
<u>S.W.L. (AFTER CASING):</u>			elevation may be 870 ft			

LOG ID:**014157**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1955/10/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	860FT
<u>DRILL DEPTH:</u>	500FT	40N	2W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				659,403.37	4,227,936.20
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	JAMES BLANTON LEASE			
<u>S.W.L. (AFTER CASING):</u>	15					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010660**WELL TYPE

Private Well

DRILL DATE: 1949/02/28TOWNSHIPRANGESECTIONELEVATION:

802FT

DRILL DEPTH: 100FT

40N

2W

21

DEPTH TO BED: 10FTUTM XUTM Y

662,303.37

4,227,776.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI SW OF SULLIVANS.W.L. (AFTER CASING): 41**LOG ID:****017660**WELL TYPE

Private Well

DRILL DATE: 1958/08/01TOWNSHIPRANGESECTIONELEVATION:

810FT

DRILL DEPTH: 180FT

40N

2W

21

DEPTH TO BED: 65FTUTM XUTM Y

661,503.36

4,228,612.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI FROM SULLIVAN ON SAPPINGTON BRIDGE RDS.W.L. (AFTER CASING): 120**LOG ID:****008510**WELL TYPE

Private Well

DRILL DATE: 1944/11/15TOWNSHIPRANGESECTIONELEVATION:

620FT

DRILL DEPTH: 200FT

40N

2W

24

DEPTH TO BED: 18FTUTM XUTM Y

666,180.37

4,227,799.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5 MI E OF SULLIVANS.W.L. (AFTER CASING): 40**LOG ID:****009611**WELL TYPE

Private Well

DRILL DATE: 1947/04/30TOWNSHIPRANGESECTIONELEVATION:

743FT

DRILL DEPTH: 160FT

40N

2W

27

DEPTH TO BED: 5FTUTM XUTM Y

663,624.39

4,226,336.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI S OF SULLIVAN - Driller's Log AttachedS.W.L. (AFTER CASING): 95



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004550**WELL TYPE

Private Well

DRILL DATE: 1937/10/23TOWNSHIP RANGE SECTIONELEVATION: 815FTDRILL DEPTH: 400FT

40N 2W 31

DEPTH TO BED: 15FTUTM X UTM Y
659,091.41 4,224,407.07
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 2 MI W OF SULLIVAN ON HWY 66, 3 MI SS.W.L. (AFTER CASING): 40**LOG ID:****028695**WELL TYPE

Private Well

DRILL DATE: 1974/00/00TOWNSHIP RANGE SECTIONELEVATION: 909FTDRILL DEPTH: 348FT

40N 2W 31

DEPTH TO BED: 140FTUTM X UTM Y
658,591.41 4,224,726.08
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 3 MI E OF BOURBON ON HWY 66, 1/8 MI S OF HWY FFS.W.L. (AFTER CASING):**LOG ID:****001899**WELL TYPE

Private Well

DRILL DATE: 1893/01/00TOWNSHIP RANGE SECTIONELEVATION:DRILL DEPTH: 1,200FT

40N 2W 34

DEPTH TO BED: 17FTUTM X UTM Y
664,206.42 4,224,160.08
ZONE 15S.W.L. (BEFORE CASING):REMARKS: FLOWING - WATER FROM AROUND 700' - DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****008865**WELL TYPE

Private Well

DRILL DATE: 1945/08/01TOWNSHIP RANGE SECTIONELEVATION: 866FTDRILL DEPTH: 215FT

40N 2W 34

DEPTH TO BED:UTM X UTM Y
663,606.40 4,225,214.12
ZONE 15S.W.L. (BEFORE CASING):REMARKS: ROCKY HILLS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010647

WELL TYPE
Private Well

DRILL DATE: 1949/02/19

TOWNSHIP RANGE SECTION

ELEVATION: 714FT

DRILL DEPTH: 100FT

40N 2W 34

DEPTH TO BED:

UTM X UTM Y
663,206.42 4,224,160.08
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 5 MI S OF SULLIVAN

S.W.L. (AFTER CASING): 10

LOG ID:
010648

WELL TYPE
Private Well

DRILL DATE: 1949/02/10

TOWNSHIP RANGE SECTION

ELEVATION: 722FT

DRILL DEPTH: 100FT

40N 2W 34

DEPTH TO BED: 5FT

UTM X UTM Y
662,906.41 4,224,370.08
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 5.5 MI SW OF SULLIVAN

S.W.L. (AFTER CASING): 20

LOG ID:
014830

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1956/08/21

TOWNSHIP RANGE SECTION

ELEVATION: 649FT

DRILL DEPTH:

40N 2W 34

DEPTH TO BED: 5FT

UTM X UTM Y
662,806.42 4,224,160.07
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: CUTTINGS LOGGED TO TOP OF CORED INTERVAL

S.W.L. (AFTER CASING):

LOG ID:
014975

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 708FT

DRILL DEPTH:

40N 2W 34

DEPTH TO BED: 10FT

UTM X UTM Y
664,106.40 4,225,109.11
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: TOTAL DEPTH NOT GIVEN

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015018**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

707FT

40N

2W

34

DRILL DEPTH:UTM XUTM YDEPTH TO BED:

10FT

663,306.41

4,224,476.09

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CUTTINGS ONLY, CORED BELOW 330', NO TD GIVENS.W.L. (AFTER CASING):**LOG ID:****017432**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1958/01/31

TOWNSHIPRANGESECTIONELEVATION:

900FT

40N

3W

13

DRILL DEPTH:

585FT

UTM XUTM YDEPTH TO BED:

60FT

656,576.35

4,229,356.24

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: HARRY WIESE LEASES.W.L. (AFTER CASING):

20

LOG ID:**018122**WELL TYPE

Private Well

DRILL DATE:

1959/04/01

TOWNSHIPRANGESECTIONELEVATION:

944FT

40N

3W

17

DRILL DEPTH:

215FT

UTM XUTM YDEPTH TO BED:

45FT

650,075.27

4,229,365.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

185

LOG ID:**023757**WELL TYPE

Private Well

DRILL DATE:

1965/07/01

TOWNSHIPRANGESECTIONELEVATION:

965FT

40N

3W

17

DRILL DEPTH:

217FT

UTM XUTM YDEPTH TO BED:

35FT

649,906.27

4,229,383.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 5 MI NW OF BOURBON ON HWY JS.W.L. (AFTER CASING):

175

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
006608

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1940/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	871FT
<u>DRILL DEPTH:</u>	185FT	40N	3W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				654,285.38	4,227,272.15
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NEAR BOURBON			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
008744

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1944/09/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	907FT
<u>DRILL DEPTH:</u>	240FT	40N	3W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	180FT				653,885.37	4,228,104.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2 MI N OF BOURBON; CALLED "PENNSYLVANIAN" TO 180'			
<u>S.W.L. (AFTER CASING):</u>	75					

LOG ID:
009129

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1946/04/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	910FT
<u>DRILL DEPTH:</u>	225FT	40N	3W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				653,885.37	4,228,104.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	4 MI N OF BOURBON, OR 3 MI N HWY (?)			
<u>S.W.L. (AFTER CASING):</u>	110					

LOG ID:
010981

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1949/09/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	941FT
<u>DRILL DEPTH:</u>	160FT	40N	3W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				655,744.36	4,228,383.20
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2 MI SW OF JCT HWYS 114 & 66 W OF SULLIVAN			
<u>S.W.L. (AFTER CASING):</u>	58					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014161**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955/10/03TOWNSHIPRANGESECTIONELEVATION:

995FT

DRILL DEPTH: 515FT

40N

3W

24

DEPTH TO BED: 110FTUTM XUTM Y

656,798.37

4,227,679.18

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: JOHN GERBER LEASES.W.L. (AFTER CASING): 105**LOG ID:****018113**WELL TYPE

Private Well

DRILL DATE: 1958/04/12TOWNSHIPRANGESECTIONELEVATION:

944FT

DRILL DEPTH: 260FT

40N

3W

24

DEPTH TO BED: 25FTUTM XUTM Y

656,398.37

4,227,467.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 150**LOG ID:****018471**WELL TYPE

Private Well

DRILL DATE: 1959/07/11TOWNSHIPRANGESECTIONELEVATION:

964FT

DRILL DEPTH: 145FT

40N

3W

24

DEPTH TO BED: 70FTUTM XUTM Y

656,698.36

4,228,628.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 60**LOG ID:****012705**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1953/04/03TOWNSHIPRANGESECTIONELEVATION:

966FT

DRILL DEPTH: 405FT

40N

3W

25

DEPTH TO BED: 120FTUTM XUTM Y

656,219.39

4,226,229.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON HWY 66, 2 MI E OF BOURBONS.W.L. (AFTER CASING): 70



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017122**WELL TYPE

Private Well

DRILL DATE: 1957/10/03TOWNSHIPRANGESECTIONELEVATION:

960FT

DRILL DEPTH: 158FT

40N

3W

26

DEPTH TO BED:UTM XUTM Y

655,159.38

4,226,940.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 90**LOG ID:****003891**WELL TYPE

Private Well

DRILL DATE: 1936/00/00TOWNSHIPRANGESECTIONELEVATION:

921FT

DRILL DEPTH: 200FT

40N

3W

27

DEPTH TO BED: 195FTUTM XUTM Y

653,301.39

4,226,059.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: BOURBONS.W.L. (AFTER CASING):**LOG ID:****011903**WELL TYPE

Private Well

DRILL DATE: 1952/05/11TOWNSHIPRANGESECTIONELEVATION:

900FT

DRILL DEPTH: 155FT

40N

3W

27

DEPTH TO BED: 105FTUTM XUTM Y

653,401.40

4,225,954.10

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.5 MI N OF BOURBONS.W.L. (AFTER CASING): 73**LOG ID:****027601**WELL TYPE

Private Well

DRILL DATE: 1970/12/23TOWNSHIPRANGESECTIONELEVATION:

979FT

DRILL DEPTH: 175FT

40N

3W

28

DEPTH TO BED: 5FTUTM XUTM Y

651,221.35

4,225,510.06

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
002765

WELL TYPE
Private Well

DRILL DATE: 1933/10/01 TOWNSHIP 40N RANGE 3W SECTION 29 ELEVATION: 948FT
DRILL DEPTH: 170FT UTM X 651,044.34 UTM Y 4,226,212.09
DEPTH TO BED: 65FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
022918

WELL TYPE
Private Well

DRILL DATE: 1964/03/01 TOWNSHIP 40N RANGE 3W SECTION 29 ELEVATION: 920FT
DRILL DEPTH: 260FT UTM X 650,592.32 UTM Y 4,227,078.11
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
020168

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 40N RANGE 3W SECTION 31 ELEVATION: 925FT
DRILL DEPTH: 190FT UTM X 648,736.31 UTM Y 4,224,705.01
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 3 MI W OF BOURGON ON HWY C: COULD NOT BE LOCATED,
S.W.L. (AFTER CASING): OWNER NOT FOUND

LOG ID:
009038

WELL TYPE
Private Well

DRILL DATE: 1945/10/05 TOWNSHIP 40N RANGE 3W SECTION 32 ELEVATION: 988FT
DRILL DEPTH: 250FT UTM X 651,085.36 UTM Y 4,225,006.04
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 MI W OF BOURBON
S.W.L. (AFTER CASING): 195



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019379**WELL TYPE

Private Well

DRILL DATE: 1960/10/01TOWNSHIPRANGESECTIONELEVATION:

982FT

DRILL DEPTH: 225FT

40N

3W

32

DEPTH TO BED: 85FTUTM XUTM Y

650,285.34

4,224,796.03

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI N OF BOURBON ON HWY CS.W.L. (AFTER CASING): 180**LOG ID:****019468**WELL TYPE

Private Well

DRILL DATE: 1960/10/01TOWNSHIPRANGESECTIONELEVATION:

949FT

DRILL DEPTH: 224FT

40N

3W

32

DEPTH TO BED: 10FTUTM XUTM Y

650,185.34

4,224,481.01

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI N OF BOURBON ON HWY CS.W.L. (AFTER CASING): 185**LOG ID:****024101**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

982FT

DRILL DEPTH: 300FT

40N

3W

32

DEPTH TO BED: 55FTUTM XUTM Y

650,212.34

4,224,879.03

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2.5 MI W OF BOURBON ON ARGO RD, RT SDS.W.L. (AFTER CASING):**LOG ID:****025445**WELL TYPE

Private Well

DRILL DATE: 1968/01/31TOWNSHIPRANGESECTIONELEVATION:

984FT

DRILL DEPTH: 300FT

40N

3W

32

DEPTH TO BED: 80FTUTM XUTM Y

650,152.34

4,224,947.03

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI W OF BOURBONS.W.L. (AFTER CASING): 280



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010507**WELL TYPE

Private Well

DRILL DATE: 1948/11/17TOWNSHIPRANGESECTIONELEVATION:

938FT

DRILL DEPTH: 240FT

40N

3W

33

DEPTH TO BED: 70FTUTM XUTM Y

652,517.39

4,225,137.06

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI W OF BOURBONS.W.L. (AFTER CASING): 130**LOG ID:****021047**WELL TYPE

Private Well

DRILL DATE: 1962/05/01TOWNSHIPRANGESECTIONELEVATION:

966FT

DRILL DEPTH: 237FT

40N

3W

33

DEPTH TO BED: 110FTUTM XUTM Y

652,379.40

4,223,893.02

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 160**LOG ID:****026670**WELL TYPE

Community Public Well

DRILL DATE: 1970/07/13TOWNSHIPRANGESECTIONELEVATION:

962FT

DRILL DEPTH: 625FT

40N

3W

33

DEPTH TO BED: 140FTUTM XUTM Y

652,400.40

4,223,887.02

ZONE 15

S.W.L. (BEFORE CASING): 210 FTREMARKS: BOURBONS.W.L. (AFTER CASING): 251 FT**LOG ID:****005042**WELL TYPE

Private Well

DRILL DATE: 1938/08/01TOWNSHIPRANGESECTIONELEVATION:

936FT

DRILL DEPTH: 162FT

40N

3W

34

DEPTH TO BED: 30FTUTM XUTM Y

654,354.42

4,223,991.03

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 132

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
008249
WELL TYPE

Community Public Well

DRILL DATE: 1943/05/07

TOWNSHIP

40N

RANGE

3W

SECTION

34

ELEVATION:

956FT

DRILL DEPTH: 501FT

UTM X
UTM Y
DEPTH TO BED: 70FT

653,754.41

4,224,724.06

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:
S.W.L. (AFTER CASING): 185

LOG ID:
010540
WELL TYPE

Private Well

DRILL DATE: 1948/11/26

TOWNSHIP

40N

RANGE

3W

SECTION

34

ELEVATION:

945FT

DRILL DEPTH: 225FT

UTM X
UTM Y
DEPTH TO BED: 100FT

652,954.41

4,224,201.03

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 0.25 MI W OF BOURBON

S.W.L. (AFTER CASING): 140

LOG ID:
010898
WELL TYPE

Community Public Well

DRILL DATE: 1948/00/00

TOWNSHIP

40N

RANGE

3W

SECTION

34

ELEVATION:

962FT

DRILL DEPTH: 505FT

UTM X
UTM Y
DEPTH TO BED: 110FT

653,154.42

4,223,781.02

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: formerly in name of George Stukenbraker - bought by City of Bourbon in 1951 to be used as auxiliary well - S of Bourbon on Hwy 66WELL

S.W.L. (AFTER CASING): 200

LOG ID:
016312
WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:
TOWNSHIP

40N

RANGE

3W

SECTION

34

ELEVATION:

917FT

DRILL DEPTH: 1,000FT

UTM X
UTM Y
DEPTH TO BED: 50FT

653,954.42

4,224,201.04

ZONE 15

S.W.L. (BEFORE CASING):
REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017446**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/11/21TOWNSHIP RANGE SECTIONELEVATION: 904FTDRILL DEPTH: 490FT

40N 3W 34

DEPTH TO BED: 115FTUTM X UTM Y
653,954.43 4,223,886.03
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #B-5 BOURBON TOWNSITES.W.L. (AFTER CASING):**LOG ID:****020244**WELL TYPE

Community Public Well

DRILL DATE: 1961/00/00TOWNSHIP RANGE SECTIONELEVATION: 965FTDRILL DEPTH: 820FT

40N 3W 34

DEPTH TO BED: 85FTUTM X UTM Y
653,577.42 4,224,220.04
ZONE 15S.W.L. (BEFORE CASING):REMARKS: ORIGINALLY DRILLED AS MINERAL TEST, CONVERTED TO
WATER WELL BY 1971S.W.L. (AFTER CASING):**LOG ID:****026281**WELL TYPE

Community Public Well

DRILL DATE: 1969/06/01TOWNSHIP RANGE SECTIONELEVATION: 955FTDRILL DEPTH: 850FT

40N 3W 34

DEPTH TO BED: 65FTUTM X UTM Y
653,697.41 4,224,833.06
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 190**LOG ID:****007737**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1942/00/00TOWNSHIP RANGE SECTIONELEVATION: 944FTDRILL DEPTH: 335FT

40N 3W 35

DEPTH TO BED: 110FTUTM X UTM Y
654,595.41 4,224,777.06
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: CHEESE FACTORY @ BOURBON; YIELD - 3 GPM @ 150', 10 GPM
@ 310'S.W.L. (AFTER CASING): 150



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009263**WELL TYPE

Private Well

DRILL DATE: 1946/10/01TOWNSHIPRANGESECTIONELEVATION:

818FT

DRILL DEPTH: 340FT

40N

4W

16

DEPTH TO BED: 25FTUTM XUTM Y

642,325.09

4,229,318.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI W OF HWY 19S.W.L. (AFTER CASING): 60**LOG ID:****012712**WELL TYPE

Private Well

DRILL DATE: 1953/00/00TOWNSHIPRANGESECTIONELEVATION:

833FT

DRILL DEPTH: 254FT

40N

4W

16

DEPTH TO BED: 55FTUTM XUTM Y

642,825.10

4,229,214.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI N OF HWY C, NW OF BOURBONS.W.L. (AFTER CASING): 40**LOG ID:****026325**WELL TYPE

Private Well

DRILL DATE: 1971/00/00TOWNSHIPRANGESECTIONELEVATION:

800FT

DRILL DEPTH: 330FT

40N

4W

16

DEPTH TO BED: 95FTUTM XUTM Y

642,446.08

4,229,922.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: no production or construction data - same as log #26862 - deepened from 160 feet to 330 feet.S.W.L. (AFTER CASING):**LOG ID:****026862**WELL TYPE

Private Well

DRILL DATE: 1971/00/00TOWNSHIPRANGESECTIONELEVATION:

800FT

DRILL DEPTH: 330FT

40N

4W

16

DEPTH TO BED:UTM XUTM Y

642,425.09

4,229,836.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: well deepened from 160 feet to 330 feet - same as log #26325S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027846**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

856FT

DRILL DEPTH:

310FT

40N

4W

17

DEPTH TO BED:

75FT

UTM XUTM Y

639,782.03

4,229,287.07

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****014240**WELL TYPE

Private Well

DRILL DATE:

1955/06/07

TOWNSHIPRANGESECTIONELEVATION:

752FT

DRILL DEPTH:

80FT

40N

4W

18

DEPTH TO BED:

20FT

UTM XUTM Y

638,314.99

4,230,028.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: FLOWINGS.W.L. (AFTER CASING):**LOG ID:****023722**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

905FT

DRILL DEPTH:

245FT

40N

4W

18

DEPTH TO BED:

15FT

UTM XUTM Y

639,515.02

4,229,378.07

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OLD OAK HILL SCHOOL HOUSE, 12 MI N OF CUBAS.W.L. (AFTER CASING): 155**LOG ID:****014648**WELL TYPE

Private Well

DRILL DATE:

1955/10/08

TOWNSHIPRANGESECTIONELEVATION:

804FT

DRILL DEPTH:

125FT

40N

4W

21

DEPTH TO BED:

10FT

UTM XUTM Y

642,243.10

4,228,427.07

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 40



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014650**WELL TYPE

Private Well

DRILL DATE: 1955/09/01TOWNSHIPRANGESECTIONELEVATION:

858FT

DRILL DEPTH: 165FT

40N

4W

21

DEPTH TO BED: 5FTUTM XUTM Y

642,243.11

4,228,009.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 75**LOG ID:****017144**WELL TYPE

Private Well

DRILL DATE: 1958/04/01TOWNSHIPRANGESECTIONELEVATION:

824FT

DRILL DEPTH: 157FT

40N

4W

21

DEPTH TO BED:UTM XUTM Y

642,243.11

4,228,009.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI S OF HWY C ON MAPLE SHADE RD; ALL RESIDUUMS.W.L. (AFTER CASING): 40**LOG ID:****009049**WELL TYPE

Private Well

DRILL DATE: 1946/01/10TOWNSHIPRANGESECTIONELEVATION:

901FT

DRILL DEPTH: 240FT

40N

4W

22

DEPTH TO BED:UTM XUTM Y

644,201.14

4,228,571.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 140**LOG ID:****017071**WELL TYPE

Private Well

DRILL DATE: 1958/03/01TOWNSHIPRANGESECTIONELEVATION:

844FT

DRILL DEPTH: 200FT

40N

4W

23

DEPTH TO BED: 25FTUTM XUTM Y

645,167.17

4,228,164.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.75 MI W OF ARGOS.W.L. (AFTER CASING): 100



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017145**WELL TYPE

Private Well

DRILL DATE: 1958/03/01TOWNSHIPRANGESECTIONELEVATION:

950FT

DRILL DEPTH: 260FT

40N

4W

26

DEPTH TO BED: 45FTUTM XUTM Y

646,163.21

4,227,067.06

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD ARGO SCHOOLS.W.L. (AFTER CASING): 160**LOG ID:****023575**WELL TYPE

Private Well

DRILL DATE: 1965/02/01TOWNSHIPRANGESECTIONELEVATION:

920FT

DRILL DEPTH: 280FT

40N

4W

26

DEPTH TO BED: 60FTUTM XUTM Y

645,862.21

4,226,753.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI S OF ARGOS.W.L. (AFTER CASING): 160**LOG ID:****019380**WELL TYPE

Private Well

DRILL DATE: 1960/03/01TOWNSHIPRANGESECTIONELEVATION:

1,011FT

DRILL DEPTH: 295FT

40N

4W

32

DEPTH TO BED: 40FTUTM XUTM Y

640,417.11

4,224,711.91

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 8 MI N OF CUBA ON OLD OAK HILL RDS.W.L. (AFTER CASING): 150**LOG ID:****023717**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,004FT

DRILL DEPTH: 295FT

40N

4W

32

DEPTH TO BED: 55FTUTM XUTM Y

640,217.11

4,224,501.90

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 140



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014649**WELL TYPE

Private Well

DRILL DATE: 1955/09/23TOWNSHIPRANGESECTIONELEVATION:

995FT

DRILL DEPTH: 245FT

40N

4W

33

DEPTH TO BED: 65FTUTM XUTM Y

642,661.17

4,223,896.91

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: POSSIBLE PENNSYLVANIAN SINK 20-65'S.W.L. (AFTER CASING): 110**LOG ID:****015229**WELL TYPE

Private Well

DRILL DATE: 1956/06/01TOWNSHIPRANGESECTIONELEVATION:

988FT

DRILL DEPTH: 312FT

40N

4W

33

DEPTH TO BED: 30FTUTM XUTM Y

641,861.15

4,224,002.90

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 185**LOG ID:****026326**WELL TYPE

Private Well

DRILL DATE: 1969/04/01TOWNSHIPRANGESECTIONELEVATION:

925FT

DRILL DEPTH: 350FT

40N

5W

13

DEPTH TO BED: 25FTUTM XUTM Y

636,433.95

4,229,655.04

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OZARK PLAY GROUNDS.W.L. (AFTER CASING):**LOG ID:****022965**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

950FT

DRILL DEPTH: 233FT

40N

5W

20

DEPTH TO BED: 165FTUTM XUTM Y

630,945.85

4,227,931.92

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 90



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019266**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/12/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	964FT
<u>DRILL DEPTH:</u>	222FT	40N	5W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				633,714.90	4,228,036.95
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	10 MI S OF OWENSVILLE ON HWY 19, 2 MI W; YIELD - 15 GPM @			
<u>S.W.L. (AFTER CASING):</u>	135		157'			

LOG ID:**019027**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/12/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	925FT
<u>DRILL DEPTH:</u>	325FT	40N	5W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	105FT				637,191.01	4,226,248.93
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	12 MI S OF OWENSVILLE ON HWY 19; ELEV. MAY BE 222'; SEE			
<u>S.W.L. (AFTER CASING):</u>	135		LOG #19266			

LOG ID:**020993**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	972FT
<u>DRILL DEPTH:</u>	260FT	40N	5W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				636,591.00	4,225,933.91
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	8 MI N OF CUBA ON HWY 19			
<u>S.W.L. (AFTER CASING):</u>	200					

LOG ID:**005749**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	856FT
<u>DRILL DEPTH:</u>	163FT	40N	5W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					635,069.95	4,226,709.92
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ON BRUSH CREEK			
<u>S.W.L. (AFTER CASING):</u>	90					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010068**WELL TYPE

Private Well

DRILL DATE: 1948/04/01TOWNSHIPRANGESECTIONELEVATION:

895FT

DRILL DEPTH: 176FT

40N

5W

27

DEPTH TO BED:UTM XUTM Y

634,055.93

4,226,924.92

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of R.M. Swarm - Charles WhiteS.W.L. (AFTER CASING): 100**LOG ID:****012472**WELL TYPE

Private Well

DRILL DATE: 1953/12/01TOWNSHIPRANGESECTIONELEVATION:

896FT

DRILL DEPTH: 145FT

40N

5W

27

DEPTH TO BED:UTM XUTM Y

634,055.93

4,226,924.92

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: HIGH SULFATE WATER @ 130'S.W.L. (AFTER CASING): 105**LOG ID:****028469**WELL TYPE

Private Well

DRILL DATE: 1980/07/20TOWNSHIPRANGESECTIONELEVATION:

922FT

DRILL DEPTH: 265FT

40N

5W

32

DEPTH TO BED: 20FTUTM XUTM Y

630,775.90

4,224,568.81

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****020215**WELL TYPE

Private Well

DRILL DATE: 1961/00/00TOWNSHIPRANGESECTIONELEVATION:

919FT

DRILL DEPTH: 222FT

40N

5W

35

DEPTH TO BED: 55FTUTM XUTM Y

635,102.98

4,225,090.87

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 7 MI N OF CUBA ON HWY 19, 2 MI WS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027152

WELL TYPE
Private Well

DRILL DATE: 1970/02/13

TOWNSHIP RANGE SECTION

ELEVATION: 940FT

DRILL DEPTH: 219FT

40N

5W

36

UTM X

UTM Y

DEPTH TO BED: 10FT

637,924.05 4,224,489.88
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 6 MI N OF CUBA ON HWY 19

S.W.L. (AFTER CASING):

CRAWFORD